

POS-G156 15.6 英寸商用笔记本电脑4G内存pos笔记本电脑

(适用于POS-G156/G151)

OCOM G系列pos笔记本电脑 商用笔记本电脑 适用于零售、餐饮、医疗、教育等行业。O系列笔记本电脑 商用笔记本电脑 适用于零售、餐饮、医疗、教育等行业...

规格

Intel Celeron 或 intel core I3 / I5
 内存 Msata SSD 64GB / SSD 128GB / 256 GB
 尺寸 58mm x 80mm
 重量
 屏幕 MSR / VFD220 英寸商用显示器
 接口

对比

		POS-G156W/A	POS-G151W/A
		15.6英寸商用pos	15.1英寸商用pos
		15.6英寸商用	15.1英寸商用
		1366*768	1024*768
		250cd/英寸	
		1600*150	
		GG	
		15.6英寸13.3英寸1366*768	15.1英寸1024*768
		2*20 VFD 英寸商用	
windows J1900		Intel Celeron Bay Trail J1900 2.0GHz / intel core I3 / I5 4th CPU	
		1*SO-DIMM DDRIII 1333*/1600 4GB/2GB/8GB	
		Msata SSD 64GB / 256GB	
		Real Tek ALC662	
		10/100Mbs, Realtek RTL8111F / Mini PCI-E / WIFI	
		Windows 7/8/10, WEPOS, Linux	
RK3288		Rockchip RK3288 / 1.8G RK3399	
	RAM	DDRIII 2GB, 4GB	
	ROM	16GB EMMC, 32GB	
		Real Tek ALC5640	
		10/100Mbs, Realtek RTL8111F	
	WIFI &	Wi-Fi 802.11b/g/n, BT3.0/BT4.0	
		7.1	

Windows(J1900&RK3288)	12V DC *1 (RS232) * 1 RJ-45*1 USB*5 *1 , *1
Windows (J1900)	*1 VGA(15Pin D-sub)*1 RJ11 for Cash drawer *1 PS/2 *1
(RK3288)	RJ11 for Cash drawer *1 ,RJ11 from printer port for Cash drawer *1 TF*1
80mm	150mm/s 79.5-/ 0.5mm 72mm 100km USB
58mm	80mm/s 57.5-/ 0.5mm 48mm 50km LPT
MSR	MSR 15.6
	8Ohm/5W
	15.6Kg/6.5Kg/8.5Kg
	300*465*500mm
	0 40
	-10 60
	10%~80%
	10%~90%
	110-240V/50-60HZ ,DC12/5A 58mm DC12V/7A W/80mm
	FCC A /CE /LVD/CCC

All In One Touch Screen POS System



Product Display

The whole machine featured anti-static protection, stronger EMI anti-interference, anti-ESD up to 8KV



Accessories



Thermal Printer



Barcode Scanner



Cash Drawer



Card Reader



Product
Accessories

SUPPORT SYSTEMS



WINDOWS



ANDROID




LINUX

Product Interface


Windows interfaces J1900




DC




LPT




COM



VGA



LAN



RJ11(optional)



USB 3.0*1



USB 2.0*4



PS/2



MIC-IN



LIN-OUT


Windows interfaces i3/i5




DC




HDMI



VGA



LAN



RJ11(optional)



USB 2.0*4



USB 3.0*1



MIC-IN




LIN-OUT


Android interfaces RK3288




DC




COM



LAN



RJ11(optional)*2



USB 3.0*1



USB 2.0*4



TF Card



MIC-IN



LIN-OUT

Screen Size



↙↘ 15.6 inch

or



↙↘ 15.6 inch

+

15.6 inch

13.3 inch

2*20 VFD



↙↘ 15.1 inch

or



↙↘ 15.1 inch

+

15.1 inch

2*20 VFD

Product Color



Product Details





