

POS-G156 15.6 英寸商用台式机 pos

商用(POS-G156/G151)

OCOM G156 pos 商用台式机 15.6 英寸商用台式机 15.1 英寸商用台式机 商用台式机...  
商用台式机...

商用

Intel Celeron 商用 intel core I3 I5 商用  
商用 Msata SSD 64GB 商用 SSD 128GB 256 GB 商用  
商用 58mm 商用 80mm 商用  
商用  
商用 MSR 商用 VFD220 商用  
商用

商用

商用	商用	POS-G156W/A	商用	POS-G151W/A
商用	商用	15.6 英寸商用 pos	商用	15.1 英寸商用 pos
商用	商用	商用	商用	商用
商用	商用	商用	商用	商用
商用	商用	15.6 英寸商用	商用	15.1 英寸商用
商用	商用	1366*768	商用	1024*768
商用	商用	250cd/商用	商用	商用
商用	商用	商用 160 商用 150	商用	商用
商用	商用	商用 GG 商用	商用	商用
商用	商用	15.6 英寸商用 13.3 英寸商用 1366*768	商用	15.1 英寸商用 1024*768
商用	商用	2*20 VFD 商用	商用	商用
商用	商用	商用	商用	商用
windows J1900	商用	Intel Celeron Bay Trail J1900 2.0GHz 商用 intel core I3 / I5 4th 商用 CPU 商用	商用	商用
	商用	1*SO-DIMM DDRIII 商用 1333*/1600 4GB 商用 2GB/8GB	商用	商用
	商用	Msata SSD 64GB 商用 256GB	商用	商用
	商用	商用 Real Tek ALC662 商用	商用	商用
	商用	10/100Mbs, Realtek RTL8111F 商用 商用 Mini PCI-E 商用 WIFI 商用	商用	商用
商用	商用	Windows 7/8/10, 商用 WEPOS, Linux	商用	商用
商用 RK3288	商用	Rockchip 商用 RK3288 商用 1.8G 商用 RK3399	商用	商用
	RAM	商用 DDRIII 2GB, 4GB	商用	商用
	ROM	商用 16GB EMMC, 32GB	商用	商用
	商用	商用 Real Tek ALC5640 商用	商用	商用
	商用	10/100Mbs, Realtek RTL8111F 商用	商用	商用
	WIFI & 商用	商用 Wi-Fi 802.11b/g/n, BT3.0/BT4.0 商用	商用	商用
商用	商用	商用 7.1	商用	商用
商用	商用	商用	商用	商用

Windows(J1900&RK3288)	12V DC *1 (RS232) * 1 RJ-45*1 USB*5 *1 , *1
Windows ( J1900)	*1 VGA(15Pin D-sub)*1 RJ11 for Cash drawer *1 PS/2 *1
( RK3288)	RJ11 for Cash drawer *1 ,RJ11 from printer port for Cash drawer *1 TF*1
80mm	150mm/s 79.5-/ 0.5mm 72mm 100km USB
58mm	80mm/s 57.5-/ 0.5mm 48mm 50km LPT
MSR	MSR 15.6
	8Ohm/5W
	15.6Kg/6.5Kg/8.5Kg
	300*465*500mm
	0 40
	-10 60
	10%~80%
	10%~90%
	110-240V/50-60HZ ,DC12/5A 58mm DC12V/7A W/80mm
	FCC A /CE /LVD/CCC

# All In One Touch Screen POS System

---



# Product Display

The whole machine featured anti-static protection, stronger EMI anti-interference, anti-ESD up to 8KV



# Accessories



Thermal Printer



Barcode Scanner



Cash Drawer



Card Reader



Product  
**Accessories**

# SUPPORT SYSTEMS



WINDOWS



ANDROID



LINUX

# Product Interface

## Windows interfaces J1900



DC



LPT




COM



VGA



LAN



RJ11(optional)



USB 3.0\*1



USB 2.0\*4



PS/2



MIC-IN



LIN-OUT

## Windows interfaces i3/i5



DC



HDMI



VGA



LAN



RJ11(optional)



USB 2.0\*4



USB 3.0\*1



MIC-IN



LIN-OUT

## Android interfaces RK3288



DC



COM



LAN



RJ11(optional)\*2



USB 3.0\*1



USB 2.0\*4



TF Card



MIC-IN



LIN-OUT

# Screen Size



↙↗ 15.6 inch

or



↙↗ 15.6 inch

+

15.6 inch

13.3 inch

2\*20 VFD



↙↗ 15.1 inch

or



↙↗ 15.1 inch

+

15.1 inch

2\*20 VFD



# Product Color



# Product Details





