(POS-H15)Android Pos [Pos [Pos [Pos [] Pos [P

(M/N:POS-H156W/A-H151W/A)





EMMC 8GB/16GB/32GB

□□□□□□ Msata SSD 64GB□SSD 128GB □ 256 GB □□

____ MSR _ VFD220 _____

		POS-H156	POS-H151	
		15.6000000POS00	15.1000000POS00	
		15.6	15.10000000	
		1366*768	1024*768	
		250cd/m ²		
			□□1024*768	
		2*20 VFD [][[][[][][][]		
		Intel Coloner Day Trail	11000 2 0011- 11 1-1-1	
□□ J1900		Intel Celeron Bay Trail		
		core I3 / I5 4 th		
		1*SO-DIMM DDRIII	□1333*/1600	
		2GB/4GB/8GB	10 356CB	
		Msata SSD 64GB □□□□□□ □□Real Tek ALC662□□□		
		10/100Mbs,Realtek RTI		
		Windows7/8/10W		
□□RK3288				
		DDRIII 2GB 4GB		
		□□ 16GB EMMC□32GB [
		□□Real Tek ALC5640 □[
		10/100Mbs,Realtek RTI	_8111F [][][]	
	WIFI&BT[]	□□Wi-Fi 802.11b/g/n□□[]BT3.0/BT4.0	
		00 7.1		

Windows/Android(J1900&RK3288)		
	12V DC [[[[]]]*1	
	□□□□RJ-45*1	
	USB *6	
	00000*100000*1	
□□(J1900)	□□(RS232) *1 □ HDMI*1 □□	
	VGA(15Pin D-sub)*1	
	RJ11 0000 *1 0000	
□□(RK3288)	COM(RS232) *1	
	OO RJ11 OOOO *10RJ11 OOOOOOOO *1000	
	TF*1	
80mm[[[[
	100mm/s □□□□	
	79.5-/ 0.5mm	
	00000000000 50km	
	LPT [
58mm[[[[[
	85mm/s [[[[[
	57.5-/ 0.5mm 48mm	
	□□□□ 50km	
	LPT [[[
MSR	□□□ MSR	
	□□ 4ohm/5w □□□□□□□	
	□□□5.6Kg□□□7.7Kg for 15.6 with15.6 dual	
	screen / no printer built-in	
	340*450*480mm	
20100	700*460*500mm / <u>□</u> 17Kg	
	0 4 0 0	
	-10 🛮 60 🔲	
	10%~80%	
	10%~90%	

110-240V/50-60HZ AC [][][][]DC12/5A [][][][][][][][][][][][][][][][][][][]
W/ 80mm □□□
00000000/00/000000
FCC A []/CE [][]/LVD/CCC



RAM/SSD000





<u>|</u>|| **IO** |||







