

POS-L15 超薄POSBill Auto Cutter 58mm 超薄 MSR 超薄超薄

POS- L 15

超薄

超薄超薄 I3 I5 超薄超薄

超薄超薄 Msata SSD 64 GB 超薄 SSD 128GB 超薄 256 GB 超薄

超薄 58mm 超薄 80mm 超薄超薄超薄

超薄超薄超薄

超薄 MSR 超薄 VFD220 超薄超薄超薄

超薄超薄超薄

超薄

超薄	POS- L 156
超薄	15.6超薄超薄超薄POS超薄
超薄	超薄超薄
超薄	超薄超薄 超薄
超薄	15.6超薄超薄超薄
超薄	1366*768
超薄	2 25 0cd/m
超薄超薄	超薄1 60 超薄1 50
超薄	超薄 超薄G+G 超薄
超薄	15.6超薄超薄 /超薄 超薄超薄1366*768超薄
超薄	2*20 VFD 超薄超薄
超薄	
超薄	Intel Celeron Bay Trail J1900 2.0GHz 超薄 Intel Celeron J4125 超薄 Intel Core I3 / I5 CPU 超薄
超薄	1*SO-DIMM DDRIII超薄 4GB DDR3L/ 1333 MHZ超薄 8GB 超薄
超薄	Msata SSD 64GB 超薄超薄 256GB
超薄	超薄Real Tek ALC662超薄
超薄	10/100Mbs 超薄Realtek RTL8111F 超薄 超薄Mini PCI-E超薄超薄WIFI超薄
超薄	Windows 7/8/10 超薄 超薄WEPOS, Linux
超薄	
超薄 超薄 J1900	超薄*1
	超薄12V DC *1
	LAN超薄RJ-45*1 超薄超薄RJ11
	USB*6
	15PIN D-sub VGA *1
	RS 232*1
	超薄*1超薄*1
超薄	

80mm	1 5 0mm/s
	79.5-/+ 0.5mm 72mm
	50km
58mm	85mm/s
	57.5-/+ 0.5mm 48mm
	50km
MSR	MSR
	4ohm/5w
	6.5 15.6 8.0 15.6
	490 * 31 0 * 48 5
	110-240V /50-60HZ DC12/5A W/o W/ 58mm DC12V/7A W/ 80mm



# Dual Screen POS Machine

Model: POS-L156



WINDOWS



LINUX



J1900, J4125 or  
i3 / i5 for option



Memory  
4G or 8G



Msata SSD  
64GB or higher



Built in 58mm  
or 80mm printer



Built in 1D&2D  
barcode scanner



15.6 inch touch  
screen monitor



# Built-in 1D&2D Scanner

Support 1D&2D code-scanning for option



# Optional Side MSR

Magnetic stripe cards can be read



# HD Capacitive Screen

15.6-inch multi-point projected capacitive touch panel with 1366\*768 resolution

Water proof

Oilproof

Dustproof Front Screen




## Built-in Thermal Printer

Built-in 80mm thermal printer with auto-cutter or 58mm thermal printer without auto-cutter for optional



# Product Interface

## Windows interfaces J1900



# Screen Size



↙ ↘ 15.6 inch

or



↙ ↘ 15.6 inch

+

- 15.6 inch
- 11.6 inch
- 2\*20 VFD

# Product Details





# Application



Bar



Restaurant



Coffee Store



Mile Tea Store



Bakery



Convenience Store



Library



Supermarket



# FACTORY STRENGTH

