

(POS-L156) POS Windows

OCOM POS-L156 pos IO

I3 I5 Msata SSD 64GB SSD 128GB 256 GB
 58mm 80mm
 MSR VFD220

POS-L 156
15.6" POS
15.6"
1366 * 768
25 0cd / m ²
1.60 1.50
G+G
15.6" W / W/o 1366*768
2 * 20 VFD
Intel Celeron Bay Trail J1900 2.0GHz , or intel celeron J4125, or intel core i3 / i5 CPU
1 * SO-DIMM DDR3 4GB DDR3L / 1333 MHz 8GB
Msata SSD 64GB 256GB
Real Tek ALC662
10 / 100Mbs, Realtek RTL8111F Mini PCI-E WIFI
Windows 7/8/10 WEPOS Linux

I/O	
I/O J1900	*1 12V DC * 1 LAN RJ-45*1 RJ11 USB * 6 15PIN D-sub VGA * 1 RS 232 * 1 *1 MIC*1
Performance	
80mm	150mm/s 79.5 - / + 0.5mm 72mm 50km
58mm	85mm/s 57.5 - / + 0.5mm 48mm 50km
MSR	MSR
	4ohm / 5w
Weight & Dimensions	
	6.5 Kg 8.0 Kg for 15.6 with 15.6 dual screen with built-in Printer
	490 * 310 * 48.5
Power	
	110-240V / 50-60HZ DC12 / 5A W / o W / 58mm DC12V / 7A W / 80mm

0000000000















