

11.6 Android/Windows POS

(M/N POS-M1106)



Intel Celeron/Rockchip CPU

Msata SSD 64GB/SSD 128GB / 256GB

58mm/80mm

MSR VFD220

00	POS-M1106-W		POS-M1106-A
00	11.600000Windows0000POS00		11.600000000000POS00
00	00000000		
00	00000000		
00			
0000	11.6000000000	11.6000000000	
000	1366*768,1920*108000	1366*768,1920*108000	
00	300cd/000		
00	00001600000150		
000	0000GG0000		
00	2*20 VFD 0 5.0 00 800*600 00000000000000000000		
00			
00	000000 J412502.0GHz	RK 35680Cortex-55000 2.0GHz / RK 3288 00 1.8GHz CPU 0000	
0000	1*SO-DIMM DDR4000002400mHZ04GB00 008GB00	00 2GB DDR4	
0000	Msata SSD 64GB 0000000 256GB	32GB eMMC000032GB TF000000	
00	00Real Tek ALC6620000	00Real Tek0000ALC5640	
000	10/100Mbs,Realtek RTL8111F 0000 00Mini PCI-E000000000WIFI00	10M/100M RTL8201F,10M/100M/1000M RTL8211E00	
0000	Windows10/11	0011	
000			
000/O00 (J4125/ RK356 8)	0000*1		
	12V DC 0000*1		
	COM(RS232) * 1, 003000		
	0000RJ-45*1		
	RJ11 0000000 *1 00	RJ11 0000000 *2 00	
	VGA(150D-sub)*1	TF00*1	
	USB*5	USB*5	
	000000*1 0000*1	000	
00			
8000000 000	0000000		
	170mm/s 0000		
	79.5-/ 0.5mm00000000072mm		
	000000000000000100km		

	□□□□□□
58□□□□	70mm/s □□□□
□□□	57.5-/ 0.5mm□□□□□□□□48mm
	□□□□□50km
MSR	ISO7811 1/2/3□□□□□□
NFC	ISO14443A□
□□□	□□/□□□□□□
□□	5200mAh□□□□□□□□□□Android□□□
□□	
□□	□□□2.4□□□□□□3.1□□
□□□□□□ □	400*390*190□□
□□	
□□□□	0□40□□□
□□□□	-10□60□□□
□□□□	10%~80% □□□
□□□□	10%~90% □□□
□□	
□□□□□□	110-240V/50-60HZ□□□□□□□□DC12/5A□□□□□□
□□□	□□□□□□□□□□/□□/□□□□□□□□
□□	□□□□□□□□□□□□
□□	
□□	FCC A □/CE □□/ LVD/CCC



POS-M1106 11.6 Inch POS Terminal

1. 11.6" IPS Capacitive Touch
2. OS : Windows 10 / Android 11
3. 58mm and 80mm(Autocutter) high speed thermal printer built in for option
4. Optional : 1D/2D barcode scanner / NFC / VFD / MSR / Battery



Printing



Scanning



NFC



Display



Card Reader



Battery



Android



Windows

80mm Thermal Printer(Auto Cutter)
170mm/s Printing Speed

58mm Thermal Printer(Manual Cutter)
70mm/s Printing Speed

58mm Thermal Printer



80mm Thermal Printer




1D/2D Barcode Scanner :



Multiple payment modes:

NFC/1D 2D barcode scanner



11.6" IPS Display

(1366*768 pixel or 1920*1080 pixel)



INDUSTRIAL APPLICATIONS



+8613352932860

ocom@ocominc.com

ocominc2000

www.ocominc.com

OCOM Technologies Limited

Address: 3A01, 4F, Block 2, Nanyou 4th Industrial Park, Nanshan Ave,
Nanshan, Shenzhen 518054, China.



WeChat



Website

* Product specifications subject to change without prior notice



[POS-M1106 SDK](#)