

POS -Z90 / Android 5.1 rfid pos M / N POS -Z90

POS

- Android 5.1
- 5.0
- 5600 mAh
- 58
- 500
- 2G / 3G / 4G wifi
- IC IC
- EMV L1 L2 PCI PBOC
- Thecradle

POS

applychain

Technical Specification

POS	
Android	Android 5.1
RAM	RAM 1GB
Flash	FLASH 8GB
Screen	5.0
Camera	Camera
Battery	5600mAh 3.7V
OS	4.0
Processor	500MHz
Positioning	GPS AGPS WLAN
Dimensions	58mm 30mm
Port	USB
POS	
Interface	ISO1788 / 7812 AAMVA
IC	ISO7816
Card	ISO / IEC 14443 A& B Mifare felica EMV / PBOC PAYPASS
PSAM	
Payment	PCI EMV / PBOC3.0 L1 L2 EMV / qPBOC3.0 L1 L2
POS	
Network	GSM WCDMA TD-SCDMA FDD-LTE TDD-LTE

無線LAN	GSM850 / 900/1800/1900
	WCDMA2100 / 1900 / HSPA+ / LTE
	TD-SCDMA B34 / B39
	FDD-LTE B1 / B2 / B3 / B4 / B5 / B7 / B8 / B20
	TDD-LTE B38 / B39 / B40 / B41
WLAN	IEEE802.11.b / N / G
本体サイズ	
幅	191mm×80mm×46mm
高さ	650mm
動作温度	-20℃~60℃
保存温度	-40℃~80℃
湿度	10%~90%RH





POS-Z90





POS-Z90





POS-Z90







POS-Z90



► Company



► Certificates



► Payment



► Contact us

