



□□□□	JUPC-A / UPC-E / JAN13□EAN13□/ JAN8□EAN8□/ CODABAR / ITF / CODE39 / CODE93 / CODE128□QR□	
□□□□	□□□□□□□250mm / sec□□□□□□300mm / sec	
□□	USB□USB +□□+ LAN□Wifi + USB□□□+ USB	
□□□□	□EPSON ESC / POS□□□□	
□□	Win9X / Window XP / Win2000 / Win2003 / Win Vista / Win 7 / Win 8 / win8.1 / Linux□□ESPON□□□□Android□IOS□SDK□□□	
□□	79.5±0.5mm□□□□□72mm□	
□□□□	83□□	
□□□□	0.06-0.08□□	
□□	□□□□□□□□□□	
□□□□□□	100□□	
□□	DC24V / 2.5A	
□□	0-45□	
□□□□	10-80□	
□□□□	190 * 145 * 145□□□□	
□□	1.60□□	
□□□□	P / N	□□
	OCPP -88A-U	USB□□□□□□□□□□
	OCPP -88A-URL	USB +□□+□□□□□□□□□□□□
	OCPP -88A-W	Wifi + USB□□□□□□□□□□
	OCPP -88A-BU	□□+ USB□□□□□□□□
	OCPP -88A-U0	USB□□□□□□□□□□
	OCPP -88A-URL0	USB +□□+□□□□□□□□□□□□
	OCPP -88A-W0	Wifi + USB□□□□□□□□□□
OCPP -88A-BU0	□□+ USB□□□□□□□□	

□□□□□□



□□□□□□□□



□□□80mm□□□□□□QR□□□□□□80mm□□□□□□80mm wifi□□□□



OCPP-88A





OCP-88A





OCPP-88A





