

QR POS58

OCPP-M07



□□

□□□□□□□□□□

□□Windows□Java□Linux□Android□IOS□□□□□

□□□□□USB□RS232□□□

□□□□□Android□IOS□WIN CE□SDK□

□□□□□□□□□□QR□□□□□□□□

□□□□□□□□□□□□□□□□□□

57 * 50□□

□□□□□□□□□□□□8□□□□□□7□Android□□□□□□Apple□□□□□

□□□□□□□□□□1500mAh□□□□□4□5□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□90mm /□□

100km□□□□□□□□□□

□□□□□□□

ESC / POS

××××××××××××	105×75×45	
	134	
	ESC / POS	
	48	
	90mm / sec	
	8/203dpi	
	12x24 / 24x24	
	32 / 16	
	1.5 x 3.0x / 3.0x3.0x	
	58.0±0.1mm x50.0mm	
	0.060.08mm	
	/	
	USBRS-232	
FLASH	256KB	
	9V DC / 2A	
	7.4V DC / 1500mAh;4-5120-150m	
	-1050°C1090	
	-2070595	
	30ASCII	
	" 1234"6	
	3.5 * 1.1	
	OCPP -M07-BB	AndroidUSB + COM +
	OCPP -M07-BB-AI	Android + IOSUSB + COM +
	OCPP -M07-B	AndroidUSB + COM +
	OCPP -M07-U	AndroidUSB + COM
	OCPP -M07-BB-AA	Android + IOSUSB + COM +7android +1





OCPP-M07





OCPP-M07





OCPP-M07



□OEM / ODM□

□□□□□□□□

▶ Company



▶ Certificates



▶ Payment



□□□□□□

·POS□□□□□□□□□□□□□□□□

·□□□□□500□□□□□□

·1□□□□□□□□□□02□Star ...

·□□163□□□/□□□2600□□□□□

·□□□□□□□□□□24□□□□□□□

·□□12□OEM / ODM□□□□□□□□□

·□□□□□□□□□□□□□□

·□□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□

·□□□□□□□□□□□□□□□□□□

·□□□□□□□12 + 1□□□□□□□□□□□□

·□□“□□□□□□”

·□□“□□□□□□□□□□□□□□□□”□□□□□□



