

OEM 80mm

OCPP -80G

□□□□

1. □□□□□□□□□□

2. □□□□□□□□□□□□□□

3. 100M □□□□□□□□□□□□

4. □□256KB NV □□□□2M □□□□□□□

5 □□□□□□□□□□□□

□O POS □□□□□□□

6. □□□□□□□□□□□□

□□□□□

□□□□□	□□□
□□□□□	230mm / □□260mm / □
□□□□□	79.5±0.5□□
□□□□□	Φ80□□
□□□□□	0.06-0.08□□
□□□□□	576□/□512□/□
□□□□□	3.75mm □□□□□□□□□□
□□□□□	□□ESC / POS□□
□□□□□	□□+ USB + Lan / 36P□□□□/ 25P□□+ USB / LAN
□□□□□	□□□□□
□□□□□□	100□□
□□□□□□	2048KB
NV Flash□	256KB
□□□□□□	AC110V / 240V□50□60□□
□□□	□□24V / 2.5A
□□□□□□□	□□24V / 1A
□□□□□	□□□0□45□□□□10□80□□□□□□□□
□□□□□	□□□0-45□□□□□□□□□10-80□□□□□□
□□□□□	□□□-10□60°C□□□□□□10□90□□
□□□□□	ANK□□□A□1.5 * 3.0mm / □□B□1.1 * 2.1mm
□□□	UPC-A / UPC-E / JA□EAN13□/ JAN8□EAN8 / CODE39 / ITF / CODE93 / CODE128 / QRCode / PDF417□□□□
□□□	PC347□□□□□□□□□□PC850□□□□□□□□PC860□□□□□□□□□□PC863□□□□□□□□□□PC865□□□□□□□□□□□□□□□□□□□□□□□□□□□□WPC1252□PC866□□□□□□□2□□ PC852□□□□□2□□□ PC858□□□□□□□□□□□□□□□□PT151□1251□
□□□□□	□□□1.25Kg; □□□□□190×145×143mm□□*□□



OCPP-80G





OCPP-80G







OCPP-80G







OCPP-80G

