

# Windows pos

POS -8618L

CPU  
 1800MHz 2.4 GHZ;  
 SSD 32GB;  
 SSD/HDD  
 1024 \* 768 LCD;  
 I / O

15" TFT LCD  
 350cd / m<sup>2</sup>  
 1024 \* 768  
 150 / 140  
 1 \* 12V DC \* 1  
 \* 1 DB9  
 \* 1 DB25  
 VGA 15" D-sub \* 1  
 RJ-45 \* 1  
 USB 2.0 \* 4 / USB 3.0 \* 2  
 \* 1  
 \* 1  
 PS / 2 \* 1 / PS / 2 \* 1

Model	POS -8618L
Processor	1800MHz 2.4 GHZ
Chipset	NM70
Memory	DDRIII 1066/1333 * 1 2GB
Storage	SSD 32GB
Display	15" TFT LCD
Brightness	350cd / m <sup>2</sup>
Resolution	1024 * 768
Dimensions	150 / 140
I / O	1 * 12V DC * 1 * 1 DB9 * 1 DB25 VGA 15" D-sub * 1 RJ-45 * 1 USB 2.0 * 4 / USB 3.0 * 2 * 1 * 1 PS / 2 * 1 / PS / 2 * 1
Operating Temp	0°C ~ 40°C
Storage Temp	-20°C ~ 60°C
OS	Windows XP
Power	110-240V / 50-60HZ AC / DC12 / 5A

110-240V / 50-60HZ AC / DC12 / 5A



POS-8618L





POS-8618L





