	- 1561-W	- 1561-A
	15. 6 [] [] POS t []	
	ABs	
	15. 6 000000	
	1920*1080	
	25 0cd/□ ²	
□□ a □□□		
00 s 00		
MSR	3000000	
	 □□□ □□ J 6412, 2.0GHz □ □	□□□RK3□□ □568□ □□□ 2.0 G ,
		RK3588
	l th	
	C[]U[][][]	
	1*SO-DI DDR 4	
	64GB M.2 SSD [[[[[[[]]]]	□□ 32GB EMMC 64GB/128GB
	□512□ GB	
	10/100	10/100 /1000 Mbs[Realtek RTL8111F [][][] [] [] [] []
		802.11b/g/n ,BT3.0/BT4.0
		, , , , , , , , , , , , , , , , , , ,
	[W F]	
	00 00 1 0 /11	
	 P	
	12V DC*1	
I /O□ J 6412		
I /O□ J 6412	12V DC [[[]]*1 [[]]RJ-45*1 ,USB*8,COM*2	:,HDMI*1
I /O□ J 6412	12V DC [[[]]*1 [[]]RJ-45*1 ,USB*8,COM*2 [[]][&[]][][][][] *1	P.,HDMI*1
	12V DC [[[]]*1 [[]]RJ-45*1 ,USB*8,COM*2 [[]]&[]][]] *1 [[]]	P,HDMI*1
	12V DC *1 	P,HDMI*1
	12V DC [[[]]*1 [[]]RJ-45*1 ,USB*8,COM*2 [[]]&[]][]] *1 [[]]	
	12V DC *1 	
	12V DC *1	
	12V DC *1	
	12V DC *1	
	12V DC *1	
	12V DC *1	
	12V DC *1	
	12V DC *1	
	12V DC *1	
	12V DC *1	