

OCBS -W013

OCBS -W013

200MM / S

10-60cm

70 m 2.4G

1.5m

1500mAh

Linux Android Windows XP 7 8 10 MAC

35

10mm-600mm

Material	ABS + PVC + PC
Dimensions	162mm * 68mm * 93mm
Weight	169g±5g
Battery	5V±5% 3.7v 1500mAh
Current	50mA; 30mA; 100mA
Frequency	> 100000
Connectivity	USB 2.4G
OS Support	Linux Android Windows XP 7 8 10 MAC
Resolution	650nm
MCU	32 MCU
Memory	64K 3500 14bit 1D
Speed	200 /
Power	400
Range	70m
Accuracy	1/5000000
Material	
Material	
Material	LED
Material	35
Material	6-7
Material	24
Material	25-25-25- Code39- Code39-FullASCII Code32 Code93- Code93-FullASCII Code128
Material	10mm-600mm

□□□□	□□35°;□□65°;□□65°
□□□□	Code39 5mil□3□□-8□□ Code39 10mil□4□□-45□□
□□□□	
IP□□	IP52
□□□□	0□50°C/ 32□122°F
□□□□	0□50°C/ 32□122°F
□□□□	20□□85□□□□□□□□
□□□□	20□□85□□□□□□□□
□□□□	15KV□□
□□□	□□□□□□□□1.5m





OCBS-W013





OCBS-W013





OCBS-W013





OCBS-W013





OCBS-W013

