



尺寸	A 12 * 24 * 1.5 W * 3.0 H mm; B 9 * 17 * 1.1 W * 2.1 H mm C / D 24 * 24 * 3.0 W * 3.0 H mm	
条码	JUPC-A / UPC-E / JAN13 / EAN13 / JAN8 / EAN8 / CODABAR / ITF / CODE39 / CODE93 / CODE128 / QR	
打印速度	250mm / sec 300mm / sec	
接口	USB + USB + LAN + Wifi + USB + USB	
打印语言	EPSON ESC / POS	
操作系统	Win9X / Window XP / Win2000 / Win2003 / Win Vista / Win 7 / Win 8 / win8.1 / Linux / ESPON / Android / IOS / SDK	
厚度	79.5 ± 0.5 mm 72 mm	
重量	83 g	
打印精度	0.06-0.08 mm	
打印头	热敏打印头	
打印速度	100 mm / min	
电源	DC24V / 2.5A	
温度范围	0-45 °C	
湿度范围	10-80 %	
尺寸	190 * 145 * 145 mm	
重量	1.60 kg	
配置	P / N	
	OCPP -88A-U	USB
	OCPP -88A-URL	USB + LAN
	OCPP -88A-W	Wifi + USB
	OCPP -88A-BU	LAN + USB
	OCPP -88A-U0	USB
	OCPP -88A-URL0	USB + LAN
	OCPP -88A-W0	Wifi + USB
	OCPP -88A-BU0	LAN + USB

接口



80mm 80mm 80mm wifi



OCPP-88A





OCP-88A





OCPP-88A





