

15

TM-1502



5

LED

1024*768@60HZ

型番	TM-1502
重量	15.1kg
幅	400mm
高さ	150mm
VESA	75*75mm
入力端子	8端子
消費電力	304.128(H)* 228.096(V)
ピッチ	0.297*0.297
解像度	4:3
画素数	1024*768
輝度	250cd/m2
コントラスト	700:1
視野角	16.2M
応答速度	135ms
駆動時間	8ms
寿命	50,000時間
保護層	ITO 保護層 ITO 保護層 FIT
駆動電圧	5V
駆動電流	<8ms
駆動電圧	3H
駆動電流	72%
駆動電流	>3500000 times
駆動電流	
I/O	12V DC 電源*1 USB *1 15PIN D-sub VGA *1 HDMI*1 オーディオ*1
電源	電源
消費電力	0~40W
電源電圧	-10 ~ 60 V
電源電流	10%~80%
電源電流	10%~90%
電源	
本体サイズ	430*180*385mm/6.5kg
4:3サイズ	630*440*390mm/21kg
電源	
電源電圧	110-240V/50-60HZ
電源電流	DC12V/2.6A
電源電流	USB VGA HDMI
電源電流	
電源電流	
電源電流	CE ROHS CCC FCC



TM1502





TM1502





TM1502







TM1502





□□□□

□□□□□□□□□□ □□ □ □□□□□

□□