

17" POS

TM1701

□□

- * 1280 * 1024;
- * A;
- * 5000

□□

□□□□	17"
□□□	4□3
□□□	1280 * 1024
□□□□mm□	0.264
□□□□mm□	337.9 * 270.3
□□□□	16.2M
□□□	1□□700
□□	300cd / m ²
□□□□	□□□□□□□□□□○
□□□□	8ms□
□□□□	17"□5□
□□□□	294.5□□*366□□
□□□□	240□□*324□□
□□□□	240□□*324□□
□□□□	3H
□□□□□	80 +□
□□□□□	-10°C~60°C
□□□□□□	□□□□□□
□□□□	DC5V
□□□□	200Ω□900Ω
□□	1.50□
□□□□	□□□□□□□□□□
□□□□	0.175mm□0.188mm
□□□□	0.7□□□1.1□□□1.8□□
□□□□	20□150□
□□□□	-30~80°C
□□□□	5□□~15□□
□□□□	5□□□25□□
□□	< 95□
□□□□	20 +MΩ@ DC25V
□□□□	□□□□□□□□□□



17-inch Touch Screen LCD Display

TM1701



Features

High resolution: Support 1280*1024;





Grade A LCD panel;



Lifetime: 50 million touch.



Application Area

Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop

Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket

Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf



Production Capacity:

✓ Indicates information has been verified onsite by a certification specialist

Production Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

Verified by TUV on 2013.7.15

Quality Assurance:

Parameter

LCD Screen Size	17"
Aspect Ratio	5:4
Resolution	1280*1024
Pixel Pitch(mm)	0.264
Active Area(mm)	337.9*270.3
Number of colors	16.2M
Contrast Ratio	700/1
Brightness	300cd/m ²
Viewing Angle	150/135
Response Time	8ms
Touch Panel	17", 5-wire
Outside Dimension	294.5mm*366mm
viewing area	240mm*324mm
Active area	240mm*324mm
Surface Hardness	3H
Optical Clarity	80+%
Operating Temperature	-10C ~60C
Endurance Test strikes	Over 10 millions
Operating Voltage	DC5V
Resistance	200Ω~900Ω
Linearity	1.50%
Faceplate Surface	Anti-glare coating, glare coating
Film Thickness	0.175mm, 0.188mm
Glass Thickness	0.7mm, 1.1mm,1.8mm
Operation Pressure	20~150g
Storage Temperature	-30~80 deg C
Message Noise	5m sec ~ 15m sec
Operating Current	5mA~25mA
Humidity	<95%
Isolation Resistance	20+MΩ@ DC25V
Sealable against	dust ,water, oil , static

Application Area

Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop

Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket

Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf



Production Capacity:

✓ Indicates information has been verified onsite by a certification specialist

Production Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

Verified by TUV on 2013.7.15

Quality Assurance:



Warranty and After Sales:



- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:



Payment:



secure payment



Alibaba Express

PayPal

Trade Assurance

Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile



TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.





Why you choose us?



Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Sales Center:

Address: Unit701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Website: www.ocominc.com www.possolution.com.cn;

E-mail: ocom@ocominc.com, info@possolution.com.cn ;

Tel: +86.755.86053207 ext 800;

Fax: +86.755.86053207 ext 868;

QQ: 2485890637, 190852203;

Wechat: szocominc, hj34924238;

Whatsapp: 008613352932860;

