

12寸POS显示器

一、

1. 显示器
 2. 显示器
 3. 显示器
 4. LED背光显示器 LED AV显示器 LED
 5. 显示器

二、

显示器	12.1英寸
分辨率	500*01*00
亮度	400cd /m ²
尺寸	800 * 600
重量	16kg
功耗	16.7M
刷新率	30KHz~61KHz
频率	50~75HZ
接口	XGA 800 * 600
厚度	0.1025英寸* 0.3075英寸mm
温度	-65°~+ 65°U / D; -50°~+ 60°L / R
重量	246.0x184.5kg
接口	RGB / AV / TV
接口	RGB 接口/接口
接口	接口 100~240V 50~60Hz 3.5A
接口	≤20W~5W
接口	5kg

三、



TM1202





TM1202





TM1202





▶ Company



► Certificates



► Payment



► Contact us

Lyn Lee

OCOM

104 518054;

ocom inc.com www pos solution.com.cn;

sales14@ocominc.com; sales14@possolution.com .cn; sales14@ocomtech.com .cn

Skype sales14@ocominc.com

MSN ocomsales14@hotmail.com;

WhatsApp 0086.189.4878 9890;

0086189.48789890 ocom 14;

0086.18948789890;

QQ 1467261417;

0086.755.86053207-814;

- 12 + 1
- “”
-

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM POS POS POS POS ISO CE FCC

OCOM “” OEM / ODM

OCOM

104518054;
ocom inc.com www pos solution.com.cn;
richard@ocominc.com richard@ocomtech.com .cn;
sz ocom inc;
Skype ocom inc2000;
MSN ocomtech@hotmail.com;
QQ 2485890637;
hj34924238;
WhatsApp 0086.133.52932860;
0086.133.52932860;
0086.755.86053207808;
0086.755.86053207868;

500 POS