

POS POS

M / N POS-A15.6 / A15.6-A

□□□

1. Windows □□ Intel Celeron □□□ 1900 □□ 2.0GHz CPU
2. □□ Android □□□ 2.0GHz RK3288
3. 2GB RAM + 8GB ROM □□□ Android □
4. □□ 4GB RAM + 64GB SSD □ Windows □
5. □□□□□□□□
6. □□□ 58mm □ 80mm □□□□□□□□
7. □□□ MSR □ RFID □□□□□□□□
8. □□□□□□□□

□□□□□

1. □□□□□□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□□□□□□□ □□□
3. □□□□□□□□□□□□□□□□□□□□□□□□
4. □□□□□□□□□□□□□□□□□□□□□□□□

□□□□□



□□□

□□	POS -A15.6 / POS -A15.6-A
□□①	□□□□□□□□□ 1900 □□ 2.0GHz
□□②	2.0GHz RK3288 □□□

OS①	Windows7
OS②	Android 6.0
RAM①	4GB RAM 64GB ROM
RAM②	2GB RAM 8GB ROM
RAM	
Screen	15.6" / 15.6"
Weight	
Thickness	58mm / 80mm
I / O① J1900	USB * 4
	RJ45 * 1
	RJ11 * 1
	VGA * 1
	COM * 1
	DB9 RS232 * 1
I / O② RK3288	RJ11 * 1
	TF * 1
	RJ45 * 1
	USB * 2
	COM * 1
	USB OTG
Operating Temp	0°C ~ 40°C
Android	WiFi
Windows	I3 I5 CPU / LCD / VFD / RFID / MSR camera / 3G / DB25 / DB9 RS232 * 3
Android	3G / 4G camera / LCD / VFD / RFID / MSR
Operating Temp	-20°C ~ 60°C
Dimensions	46 * 43 * 51
Power	110-240V / 50-60HZ AC / DC12 / 5A



POS-A15





POS-A15





POS-A15





□□□□

1.□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□

2.□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□ / t□western uion□paypal□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

3.□□

OCOM
500
100
12 + 1
24
30
DOA
DOA

4.

Paypal
Moneybookers
Visa
MasterCard
Maestro
Solo
Carte Bleue
Pos
tePay
CartaSi
4B
Euro6000

5.

POS
ID
500
O2
Star ...
2600+
163
12
OEM / ODM
POS
ISO
CE
FCC
Soncap
POA
BIS
12 + 1
“”
“”