

OLED USB 80

OCPP-M083



□□

□□Windows□Java□Android□IOS□□□□□□

□□USB + RS232 + □□□□□□□□USB + RS232 + WIFI;

USB□DC□□□

OLED□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□7□android□□+1 ios□□□□□□□□

□□□□□□□□□□□□

□□□Android□Win CE□□□□SDK

2000mAh□□□□□□

□□□□□□90mm / sec

MCBF□□□□□□100□□

□□

□□	OCPP -M083
----	------------

點陣	256
點陣	點陣
點陣	72
點陣	點陣
點陣	ESC / POS
點陣	90mm / sec
點陣	8 / 203dpi
點陣	12x24 / 24x24
點陣	32 / 16
點陣	1.5 x 3.0 x / 3.0x3.0 x
點陣	80.0±0.1mm x 30.0mm
點陣	0.06 0.08mm
點陣	點陣 / 點陣
點陣	USB RS-232 WiFi
點陣	5K
點陣	9V DC / 2A
點陣	7.4V DC / 2000mA; 4-5 120-150m
點陣	點陣
點陣	-10°C 50°C 10 90
點陣	-20°C 70°C 5 95
點陣	點陣 30 ASCII
點陣	點陣 " 1234 " 點陣 6
點陣	3.5 * 1.1



OCPP-M083





# OCPP-M083





OCPP-M083





# OCPP-M083





# OCPP-M083

