USB / LAN /0080mm000wifi000000

$[\!]M\ /\ N[\!]OCPP-80F[\!]$

- 1. 300mm / s
- 2. 2048K
- 3.001D02D0000
- 4.0000000000

72mm
576[]/[]512[]/[][8[]/ mm[]203dpi[]
300mm /
USB + COM + LAN
USB
USB + LAN + WIFI∏ USB + BT + WIFI
USB + BT
3.75mm[][] [][][]
FontA-48Lines / FontB-64Lines /
ANKANKANK
FontB[]1.1×2.1mm[]9×17[][][][][]3.0×3.0mm[]24×24 [][
PC437 / Katakana / PC850 / PC860 / PC863 / PC865 / WestEurope / Greek / Hebrew / EastEurope / Iran / WPC1252 / PC866 / PC852 / PC858 / IranII / Latvian / Arabic / PT151,1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 /
1D UPC-A / UPC-E / JAN13 EAN13 / JAN8 EAN8 CODE39 / ITF / CODABAR / CODE93 / CODE128
79.5±0.5mm
≤80mm
□□Feed□Clameshell Feed□
ESC / POS
□□□AC 110V / 220V□50□60Hz
□□□DC 24V / 2.5A

	DC 24V / 1A
	2048K□□
NV□□	256K□□
	1.2KG
	186 * 145 * 135
	□□□5□45°C□□□□10□80□
	100KMLE.12.5_
	1000,000[
	Android_IOS_Linux_Win2000_Win2003_WinXP_Win7_Win8_Win8.1