### 

### 

	GFSK
	200kbps
	10dBm
	650nm□□
	EAN-8  EAN-13  UPC-A  UPC-E  Code 39  Code 93  Code 128  EAN128  Codaber  Industoal 2 of 5  Interleave 2 of 5  Matrix 2 of 5  MSI
	48±2[[[[]]/[]
	10520
	2000@00022000@20000
	0.10[[[[PCS0.9[]
	0[]250mm[][]0.33[][][]90[]
	1M30,000
	9600004600000
	ABS + PC
	102mmX46mmX28mm[][][][]52mmX20mmX10mm[][][]
	1300000
	-20[45 [[[
	-20[]60 [][[]
	5_95
EMI / RFI□	CE[] FCC DOC
OCBS-D004	433MHZ000000000
OCBS-D104	USB









# Simple but not easy

Mini data collector, convenient and portable;





Wireless version: working distance can meet general request, 30 to 300m in open area;



Instantly store and bulk transfer mode, secure to keep the data;

Can store 30,000 barcodes;









Auto-turn-off at low voltage.

Settable standby time,
high efficiency and energy saving;







# All-round show







# Application Area

Commercial: handheld mobile POS, chains / stores / counters data acquisition, shoes ordering, card management, bill management

Commonality: mobile government, mobile police, population information management,postal management,library management

Logistics: warehouse management, product traceability, picking medicine distribution, logistics and express, logistics and distribution

Industry: production process management, forestry data collection, three meter reading, fixed asset management,







### **Parameter**

Wireless Communications:		
Modulation	GFSK	W. W.
Transmission rate	200Kbps	2001
Power	10dBm	6.11
Transmission Distance	Visual straight line distance 300 meters	
Antenna	Built-in spring antenna	

Performance Characteris	stics		
Light Source	650nm laser		
Supported barcodes	EAN-8, EAN-13, UPC-A, UPC-E, Code 39, Code 93, Code 128, EAN128, Codaber Industoal 2 of 5, Interleave 2 of 5, Matrix 2 of 5, MSI etc		
Scanner Type:	Bi-directional		
Scan rate	48±2 scan/second		
Scan distance	10-520mm		
Scan width	20mm@window, 220mm@200mm		
Resolution	0.10mm (pcs0.9)		
Depth of Field	0~250mm (0.33mm, PCS 90%)		
Working Way	Triggered or automatic (continuous mode) scanning		
<b>Physical Characteristics</b>			
Memory:	1M (Can store 30,000 barcodes)		
Interfaces:	Standard configuration mini USB receiver; RS232 and PS2 optional		
Current:	96mA (working) 46mA(standby)		
Battery:	Built-in rechargeable lithium ion battery (3.7V, 1900mAh)		
Material	ABS+PC		
Dimension:	102mmX46mmX28mm (Data Collector) 52mmX20mmX10mm (Receiver)		
Weight:	130g (with battery)		
User Environment			
Operation Temperature	-20 Degree C∼45 Degree C		
Storage Temperature	-20 Degree C~60 Degree C		
Humidity:	5~95% relative humidity, non-condensing		
Safe			
EMI/RFI:	CE & FCC DOC compliance		
Safety Standard	The second national laser safety standards		
Ordering Information			
OCBS-D004	433MHZ Wireless Mini Portable Stocktaking Terminal		
OCBS-D104	USB Cable Mini Portable Stocktaking Terminal		



# Production Line





# Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
1	Thermal Printer	40,000 Sets / Month	250,000 Sets
1 500	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
1	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
1	Barcode Scanner	40,000 Sets / Month	20,000 Sets
1	POS Machine	5,000 Sets / Month	10,000 Sets
1	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets



### Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.


### Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
1	Ageing Tester	No Information	6
1 500	Withstand Voltage Tester	CC2670A	1 00000
1	Oscilloscope	TBS1102	1
1	DC Power Supply	PS-305DM	6
V	Digital Torque Meter	HP100	1
1	Calliper	GUANGLU	2
1	Multi-meter	VC890D	7
1	Test Computer	No Information	13

# Certifications



# Packing and Shipment





# Payment



















## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





# Why you choose us?



Flexible Cooperation

## Company Profile


# This Assessed Supplier Has Been Independently Verified

Build Your Growth On Trust













OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Eruope, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.



OCBS-D104 PC

×