

# 20X2 点阵 VFD 显示屏

点阵 VFD220F

特点

- 1 20\*2 点阵 VFD 显示屏
- 1 26 引脚
- 1 360° 旋转
- 1 ESC/POS CD5220 兼容
- 1 3 线制

规格

- 1 点阵
- 1 9mm 高度
- 1 20\*40 点阵 2 线制
- 1 兼容 ESC/POS CD5220 兼容
- 1 360° 旋转
- 1 Aedex Epson DSP800 兼容
- 1 点阵
- 1 点阵
- 1 点阵
- 1 点阵

|    |                                |
|----|--------------------------------|
| 点阵 | 20/20                          |
| 点阵 | 26                             |
| 点阵 | 360°                           |
| 点阵 | 20*20 点阵                       |
| 亮度 | 700cd/m2                       |
| 点阵 | 96 点阵 26 引脚                    |
| 点阵 | 5X7 点阵                         |
| 点阵 | 6.75 英寸 x 3.75 英寸              |
| 点阵 | 0.8 x 0.55 英寸                  |
| 点阵 | 20 点阵                          |
| 点阵 | -5~60°                         |
| 点阵 | 204(W)*67(H)*40(D)             |
| 点阵 | 188mm(L)×40mm 点阵               |
| 点阵 | 350°                           |
| 点阵 | 0.9KG                          |
| 点阵 | ESC/POS/CD5220/DSP800/UTC..... |
| 点阵 | 点阵 点阵 点阵.....                  |
| 点阵 | RS232 点阵 USB                   |
| 点阵 | 2400/9600 bps,                 |

□□□□□□

40,000 □□

□□

DC5V 1A

□□

CE□ROHS□FCC







