

# □□□/□□□15□□□□□□□□□□POS□□

## □□□

1. □□□□□□□□□□POS□□
2. □□□□□□□□□□□□□□□□□□
3. LED / LCD□□□□□□□□
4. MSR□□
5. Wifi□□

## □□□

□□	POS 8829
□□□□	□/□□
□□□□□□	ISO Track1 / 2/3□□□□□□; LCD□□□□□; LED8;□□□□
□□	□□□□□□
□□□□□	1037U□□1.8G
□□□	1037U + ICH8□□□
□□□□	DDRIII 1066/1333 * 1 2GB□□4GB□
□□□	SATA 2.5 320GB□500GB□SSD32GB
□□□□□□	15□□TFT LCD
□□	□□350cd /□ <sup>2</sup>
□□□	1024 * 768□□□□
□□□	5□□□□□□□
□□	□□□□150;□□□140
I / O□□	1 *□□□□
	PS2□□* 1; PS2□□* 1
	Serial * 3 DB9□
	□□* 1□DB25□□□□
	VGA□15Pin D-sub□* 1
	LAN□RJ-45 * 1 HDMI * 1 RJ * 11□□□□□□
	USB□2.0□* 6
□□□□* 12 *□□□□□□□□□□MIC IN * 1	
□□□□	0□40□□□□
□□□□	-20□60□□□□
□□□□	35W□□□□
□□	FCC A / CE□□ / LVD / CCC
□□□□/□□	440 * 270 * 425mm / 8 KGS
□□□□	Windows XP Professional Embedded□WE POS□Linux □□□
□□□□□	110-240V / 50-60HZ□□□□□□□□DC12 / 5A□□



