

OCBS-W900

OCBS-W900

300/
CDD
8KB

OCBS-W900

OCBS-W900	
OCBS-W900	Belutooth
OCBS-W900	OCBS-W900 CCD
OCBS-W900	1500
OCBS-W900	300/
OCBS-W900	EAN-13 EAN-8 UPC-A UPC-E 128 93 ITF-6 ITF-14 5 5 2 5 GS1 Databar 39 11
OCBS-W900	≥4mil
OCBS-W900	LED 610nm 640nm
OCBS-W900	39 5mil 65 175 EAN-13 13mil 55 605
OCBS-W900	±60°@ 0° 0° ±30°@ 0° 0° ±60°@ 0° 0°
OCBS-W900	≥30
OCBS-W900	
OCBS-W900	0.30W
OCBS-W900	3.2 3.6V DC
OCBS-W900	100mA 10uA
OCBS-W900	AC100 240V 50 60HZ; DC 5V
OCBS-W900	168*93*72
OCBS-W900	198
OCBS-W900	
OCBS-W900	-20°C + 60°C
OCBS-W900	-40°C + 85°C
OCBS-W900	5 95
OCBS-W900	0 100 000LUX
OCBS-W900	

CCD

CCD-W900 300/ 5.8KB



32bit decoder ensuring excellent decoding ability



All-round show



Other Products



Bluetooth Communicate Long Distance CCD Barcode Scanner(OCBS-W800C)



Long Distance Red Light CCD Barcode Scanner (OCBS-C004)



Long Distance CCD Screen Barcode Reader (OCBS-C380)

OCOM POS TUV

OCOM POS PDA POS
CE FCC