

# 58

## OCPP - M06

000

|                |   |
|----------------|---|
| 00000x0x00     | 105 * 75 * 45mm   |
| 00             | 134   |
| 00             | 00  |
| 0000           | 0000  |
| 0000           | 0000ESC / POS   |
| 00000000       | 48  |
| 0000           | 009000/0  |
| 000            | 8 / mm 203 dpi  |
| 0000           | 12x24 / 24x24   |
| 000            | 32 / 16   |
| 0000           | 1.5 x 3.0 mm 00x00 / 3.0 x 3.0 mm 00x00   |
| 0000           | 58.0±0.1mm x 40.0mm   |
| 0000           | 0.06 0.08   |
| 000            | 0000/0000   |
| 00             | USB RS-232 0000 000000  |
| 00             | 256KB   |
| 000000         | 9 V CC / 2 A.   |
| 000            | 7.4 V DC / 1500 mA; 4-5 120-150   |
| 0000           | 000000 000000   |
| 0000           | 000-10 50 0000 00010 90   |
| 0000           | 000-20 70 0000 0005 95  |
| 0000pos 000dis | 0030 ASCII 000000000000000000   |
| 00             | 00000000 "1234" 000000 0000000000 006   |
| 00000000       | 3.5 * 1.1   |
| 0000           | 00CPP-M06-BB 00ndroid 00 üSB + COM + 00000000   |
|                | 00CPP-M06-BB-AI 00ndroid + IOS 00 üSB + COM + 00000000  |
|                | 00CPP-M06-B 00ndroid 00 üSB + COM + 00000000;   |
|                | 00CPP-M06-U 00ini 0000 00ndroid 00 üSB + COM 00000000   |
|                | 00CPP-M06-BB-AA 00ndroid + IOS 00 üSB + COM + 00luetooth 00battery 007 dis pos itivi Android Android +1 |



[www.ocominc.com](http://www.ocominc.com)







[www.ocominc.com](http://www.ocominc.com)





Global Fortune 500 1 100

12 + 1 pos 24;

30 DOA DOA

pos

#### 4.

T / T LC Western Union Escrow T / T Western Union Escrow Paypal pos Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

#### 5.

#### 6.

Eruopean ...

159 2200 500 O2 ..... 50

#### OCOM

- 500 POS Auto-ID
- 1 O2 Star .....
- 2200 159;
- 11 OEM / ODM
- POS
- pos ta res
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “ ”
-