

	576dots /\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\
	DDD DD DDD24x24DD DD18030DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
	□□12 * 24□□1.5□□□* 3.0□□□mm;
	B 9 * 17dots 1.1
	JUPC-A / UPC-E / JAN13 EAN13 JAN8 EAN8 CODABAR / ITF / CODE39 / CODE93
	/ CODE128 QR
	25000/000000000000000000000000000000000
ПП	
ПП	WIN9X / XP / WIN2000 / Win2003 / Vista 7 / 8 / win8.1 / Linux ESPON SDK
	□Android□□□□□
	79.5±0.5□□□□□□72□
	83
	0.06-0.08mm
	DC24V / 2.5A
	0-45
	10-80□
	190 * 145 * 145∏MM□
	1.60□□
	P / N
	OCPP-809-U USB
	OCPP-809-UR
	OCPP-809-ULD USB + LANDDDDDD
	OCPP-809-W
	OCPP-809- <u> </u> USB + <u> </u> + LAN <u> </u> LAN <u> </u>
	OCPP-809-U USB
	OCPP-809-UR
	OCPP-809-UL[]
	OCPP-809-W
	OCPP-809-[]