

OCBS-W011

OCBS-W011

OCBS-W011;
 OCBS-W011 100/OCBS-W011;
 OCBS-W011;
 OCBS-W011 OCBS-W011;
 OCBS-W011

OCBS-W011

OCBS-W011	
OCBS-W011	OCBS-W011 650-670nm
OCBS-W011	OCBS-W011 100
OCBS-W011	2.5 600 100 UPC / EAN
OCBS-W011	OCBS-W011
OCBS-W011	0.10 4MIL PCS 0.9
OCBS-W011	30 @ 650
OCBS-W011	OCBS-W011
OCBS-W011	UPC / EAN UCC / EAN 128 39 39 ASCII 39 trioptic 128 128 ASCII OCBS-W011 UPC / EAN 2 5 5 2 93 11 ATA RSS 5 2
OCBS-W011	
OCBS-W011	433MHz 433 USB USB
OCBS-W011	433M 300M; 15
OCBS-W011	900mAh 3.3V
OCBS-W011	100
OCBS-W011	<40
OCBS-W011	USB
OCBS-W011	45° 60°
OCBS-W011	L165mm x W63mm x H87mm
OCBS-W011	129
OCBS-W011	OCBS-W011
OCBS-W011	
OCBS-W011	0 40°C
OCBS-W011	-40 60
OCBS-W011	5 95
OCBS-W011	OCBS-W011 +/- 15kV +/- 8KV
OCBS-W011	OCBS-W011 1.5
OCBS-W011	
EMI / RFI	FCC A CE
OCBS-W011	CDRH 2



OCBS-W011-B



www.ocominc.com

CE FC





OCBS-W011-B



www.ocominc.com





OCBS-W011-B



www.ocominc.com





OCBS-W011-B



www.ocominc.com

