

58mm pos
ber OCPP - 11

Android App forend;
bartender;
40
8
7 Android Apple
18650
90mm / secprint
TSPL

Specification:

Printer	TSPL
Resolution	48
Print Speed	90 / min
DPI	8 / mm 203dpi
Print Size	58.0±0.1mm x 40.0mm
Print Thickness	0.06~0.12mm
Interface	USB
Memory	256KB
Power Supply	9V DC / 2A
Battery	2 3.7V 1300mAh 18650 7.4V
Operating Temp	10~50°C
Storage Temp	10~90°C
Operating Humidity	5~95%
Storage Humidity	5~95%
Barcode	30 ASCII
Barcode Length	1234 6

Picture Show



OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11






OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11





▶ Product Details



Button

- 1. Power Key
- 2. Feeding Key

LED

- 3. Power Light
- 4. Alarm Light

Port

- 5. Mini USB Port
- 6. Hook

Other




▶ Instructions



Step one
Open the cover according
arrow direction



Step two
Load roll paper according
arrow direction



Step three
Close the cover

▶ Application scenario

Logistics



Warehouse management



Supermarket



Clothing label



Jewelry label



Restaurant



▶ Company



▶ Certificates



▶ Payment



▶ Contact us

Lyn Lee

OCOM

4 / F 10 518054;
ocom inc.com www pos solution.com.cn;
sales14@ocominc.com; sales14@possolution.com .cn
Skype sales14@ocominc.com
MSN ocomsales14@hotmail.com;
WhatsApp 86.18948789890;
18948789890 ocom 14;
86.18948789890;
QQ 1467261417;
0086.755.86053207-814;
0086.755.86053207-868;

2.

t / t western uion paypal

3.

OCOM

500 100

12 + 1 24

30 DOA DOA

4.

T / T LC Western Union Escrow T / T Paypal
Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos
tePay CartaSi 4B Euro6000

5.

6.

European

159 2200 O2 500 50

OCOM

- 500 POS
- O2 Star
- 2200 159;
- 11 OEM / ODM
- POS 1
-
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “ ”
-