

1d / 2d

OCBS-W232

;
32;
433MHzd200;
data 15
433MHz 100

	128K
* * *	168mm * 72mm * 93
W * H * D	130×45*129
	ABS + TP[R /
	370G
	; Continuous
	LED
	10-450mm0.9 0.25
	300 /
	0.10-0.825mm
	1 /
	UPC / EANUPC / EANUCC / EAN128Code39Code 39 ASCIITrioptic Code 39Code 128Code 128 Full ASCIICodabarInterleaved 2 of 5Discrete 2 of 5Code 93MSI 11RSS2/5MSI / Plessey/ PlesseyUCC / EAN 128 GS1 DataBarRSSQRPDF417DATAMATRIX
	3.7V /750mAh
	3.0
	30
	95mA; 25
	60°;45°
	433MHz
	USB
	-10 C. 45 C. - 40 C. 60 C.
	5 - 90
	1.5
	0~100,000 LUX
	±12KV±6KV
	CEFCCClass 2RoHS



OCBS-LA09






OCBS-LA09







FAQ

1. 如何安裝？

請參閱用戶手冊中的安裝說明。

2. 如何連接？

2.1 如何連接？

請參閱用戶手冊中的連接說明。

3. 如何連接？

請參閱用戶手冊中的連接說明。或訪問我們的網站：<http://www.aliexpress.com/store/403448>

或訪問我們的網站：<http://www.aliexpress.com/store/403448>

3. 如何連接？

OCOM 提供 500 個工作日的技術支持。

4. 如何連接？

請參閱用戶手冊中的連接說明。

5. 如何連接？

請參閱用戶手冊中的連接說明。

4. 如何連接？

請參閱用戶手冊中的連接說明。或訪問我們的網站：<http://www.aliexpress.com/store/403448>

EscrowAlipay.comMoneybookersVisaMasterCard
MaestroSoloCarte BleuePos tePayCartaSi4BEuro6000
5
6
Eruopean...
1331300O2500.....50

OCOM Technologies Ltd.TUVPOSAuto-ID OCOM5001

OCOMPOSPOSPOSPOS
CEFCC

OCOM“”OEM / ODM

OCOM
104
518054;
www ocom inc.comwww pos solution.com.cn;
sales14@ocominc.com;
Skype sales14@ocominc.com
MSN ocomsales14@hotmail.com;
Whatsapp 0086.18948789890;
0086.18948789890;
0086.18948789890;
QQ 1467261417;
0086.755.86053207-814;
0086.755.86053207-868;