

QR

QR
QR

QR

QR 1D 2D

QR

5mil

QR

QR

QR	
QR	640 * 480,256
QR	LED 630 nm ± 10 nm
QR	0 ~ 100,000 LUX
QR	SR 45°; 30°
QR	25
QR	2D DataMatrix, Matrix 2 of 5, MaxiCode, MicroPDF417, MSI Code, PDF417, QR code, Standard 2 of 5, Telepen, TLC 39
QR	1D Pos, Aztec, BPO, Pos, Codabar, Codablock, Code 11, Code 39, Code 93, Code 128 / EAN128, Dutch Pos, t, EAN.UCC Com pos ite, Interleaved 2 of 5, Japan Pos, t, Planet, Plessey Code, Pos tnet, RSS, UPC / EAN
QR	≥ 5mil
QR	360°
QR	65°
QR	75°
QR	
QR	RS232 / USB, MS, Mac
QR	DC 5 V ± 5%
QR	300 mA, 40mA
QR	1.5
QR	150
QR	170 x 100 x 75
QR	
QR	-20°C ~ 60°C, -4°F ~ 144°F
QR	-30°C ~ 70°C, -22°F ~ 158°F
QR	5 - 95
QR	120



OCBS-2011





OCBS-2011



