

OCBP - M83

OCBP - M83

Product Description

OCBP

- 2600mAh 7.4V 14.8Wh
- 50mm
- 90°
- 360°
- IP54

OCBP

OCBP	OCBP
OCBP	ESC / POS TSPL ZPL
OCBP	72° 576°
OCBP	90°/°
OCBP	8°/ mm 203dpi
OCBP	79.5±0.5mm x 50.0mm
OCBP	0.06~0.12mm
OCBP	OCBP/°
OCBP	USB
OCBP	256KB
OCBP	9V DC / 1A
OCBP	4-5°
OCBP	2600mAh 7.4V 14.8Wh
OCBP	50° 7°
OCBP	50KM
OCBP	OCBP
OCBP	OCBP-10~50°C 10~90°
OCBP	OCBP-20~70°C 5~95°

打印头	打印头间距30mm ASCII打印
打印速度	打印速度“1234”打印速度6mm/s
重量	重量0.56kg /打印速度0.7kg /s
尺寸	13.5 * 13.5 *11mm

3 Inch Industrial Grade Bluetooth Thermal label Printer

Application scenario



Hospital



Logistics



Jewelry



Bank



Supermarket



Repast



01

One machine for all

Support Receipts/Labels/Shipping Labels Printing

Thermal type printing, no need ribbon

Only need a machine,
a roll of labels and a mobile to print,
more economical without ribbon.



Self-Developed APP 02

Support Voice Input /Graphic Recognition/Scanning Recognition and other functions

Voice Input

Speak toward the mobile, can convert the voice to text automatically



Graphic Recognition

Real time pictures taking and convert to text, can do further editions



Barcode Scanning Input

Scan the barcode with mobile, can convert the scanning content to text or barcode



03

The Second Development Supported

Self-Developed, The Second Development Supported, Customization Supported



OLED High-definition Display

The Front Side Details

04



The Front Side Details

Adjustable Roller

High Capacity Paper Holder

OLED High-definition Display

Commands Types:

ESC/JPL: Receipt Printing

TSPL: Label Printing

CPCL: Shipping Labels Printing

Paper Types:

Continuous paper for receipt

Paper with gaps for labels

05 Waterproof and Shock-Resistant

IP54 Grade, Support Printing in Rainy days and outdoor



360 overall protection

Shock-resistant and have longer life



Shock-resistant designs

Edge covered to resistant dropping and cushion the impact force



Rechargeable High Capacity Battery 06

Can Print 5 hours continuously, 7 days long standby time



The Rear Side Details

2600mAh/7.4V Rechargeable High Capacity Battery
Can Print 5 hours continuously, 7 days long standby time

Potable for Convenient Operations

07

Intelligent Cloud Template

There are different template for different industries, can edit contents randomly, can print immediately



Android/IOS+Computer

Multiple connecting methods

08



Android

+



IOS

+



Computer

09


EXCEL import the sheet

Input items' information with EXCEL and import the sheet



Mass labels printing 10

Printing software to realize mass labels printing






OCBP-M83



USB Cable



Power Adapter




Battery




Paper Roll



Roller



Installation Instruction



! Reminder: Press and push battery button up

Button

- ① Power Key
- ② Function Key
- ③ FEED Key

Port

- ④ Charging Port
- ⑤ USB Port

Other

- ⑥ OLED Screen
- ⑦ Cover Switch

- ⑧ Hook
- ⑨ Battery Button

► Company



► Certificates



► Payment



► Contact us

5. 目的

本報告は、以下の目的を達成するために作成された。

6. 概要

本報告は、European Commissionの依頼に基づき、...

本報告は、159項目の2300項目のデータに基づき、O2項目の500項目、.....項目の50項目のデータを分析した。

7. 結論

- ・項目の500項目のデータは、POS、Auto-ID項目のデータと一致する。
- ・項目のデータは、O2項目のStar項目のデータと一致する。
- ・2300項目のデータは、159項目のデータと一致する。
- ・11項目のOEM / ODM項目のデータは、POS項目のデータと一致する。
- ・POS項目のデータは、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。
- ・12 + 1項目のデータは、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。
- ・項目の“項目のデータ”は、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。
- ・項目のデータは、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。

8. 参考文献

OCOM Technologies Ltd.のTUV項目のPOS項目のAuto-ID項目のデータは、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。

OCOM項目のデータは、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。POS項目のデータは、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。POS項目のデータは、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。POS項目のデータは、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。

OCOM項目のデータは、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。項目の“項目のデータ”は、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。OEM / ODM項目のデータは、ISO項目のFCC項目のSoncap項目のPOA項目のBIS項目のデータと一致する。

9. 付録