## 

650nm□□
32[]
2.5~600mm□100□UPC / EAN□
50mm @ 60mm□220mm @ 200mm
3mil/ 5mil
3000000
UPC / EAN UPC / EAN UPC / EAN 128 Code 39 Code 39 ASCII Trioptic
Code 39 Code 128 Code 128 Full ASCII Coda bar Interleaved 2 of
5 Discrete 2 of 5 Code 93 MSI Code 11 RSS variants Chinese 2 of 5 MSI
/ Plessey UK / Plessey UCC / EAN 128 OF
±65°0000; ±60°0000; ±42°0000
PS2[RS232[USB
5V DC±5[]
85 mA; 100
ABS + PC
156 * 60 * 62 ****************************
156 * 68 * 83 mm[]]*[]*[]
235[]
0°C~45°C
-40°C~60°C
5[]-90[][][][] [][]+/- 15KV[][][][]+/- 8KV[][][]
0~100,000 LUX
<u>                                    </u>
LIMO0052-T  T



## Product Picture





### Features

## Simple but not easy

200scan/sec high scan rate and long reading distance;







Durable construction combined with future-proofing;









KBW, RS232 and USB supported;



## All-round show







## Parameter

Performance Character	istics	
Light Source:	650nm visible	
Scan Rate:	200 scans per second	
CPU	32 bit	
Reading Distance	2.5 ~600mm (100% UPC/EAN)	
Width of Scan	50mm@60mm, 220mm@200mm	
Scanner Type:	Bi-directional	
Operation mode	triggered	
Resolution:	3mil high resolution series / 5mil long depth field series	
Print Contrast Minimum:	30%, minimum reflective difference	
Decode Capability.	UPC/EAN, UPC/EAN with Supplemental, UCC/EAN 128, Code 39, Code 39 Full ASCII, Trioptic Code 39, Code 128, Code 128 Full ASCII, Coda bar, Interleaved 2 of 5, Discrete 2 of 5, Code 93, MSI, Code 11, RSS variants, Chinese 2 of 5, MSI/Plessey, UK/Plessey, UCC/EAN 128, Chinese code GS1 Data Bar (RSS) series	
Scanning Angle	±65°(tilt); ±60°(pitch); ±42°(yaw)	
Physical Characteristic	8	
Interfaces Supported:	PS2, RS232, USB	
Voltage:	5V DC±5%	
Current:	85 mA (Operating); 100 (Max)	
Indicator	Beeper, LED	

Material	ABS+PC	
Stand	Optional	
Dimensions:	156*68*83 mm (L*W*H)	
Weight:	235g	
Color:	Grey and black	
User Environment		
Operating Temperature:	0 Degree C~45 Degree C	
Storage Temperature:	-40 Degree C~60 Degree C	
Humidity:	5%-90% (non-condensing)	
Electrostatic Discharge:	: Conforms to +/-15KV air discharge and +/-8KV of contact discharge	
Ambient Illumination	0 ~ 100,000 LUX	
Drop Specifications:	Withstands multiple 1.5m drops to concrete surface	
Laser classification	EN60825-1, class 1	

## Production Line





## Capacity

Verified	ed Product Name Production Line Capacity Actual Units Pr		Actual Units Produced(Previous Year)
1	Thermal Printer	40,000 Sets / Month	250,000 Sets
1	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
1	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
1	Barcode Scanner	40,000 Sets / Month	20,000 Sets
1	POS Machine	5,000 Sets / Month	10,000 Sets
1	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

√ Indicates information has been verifed onsite by TUV on 2013.7.15

#### **Quality Assurance**

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products



have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

#### Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
1	Ageing Tester	No Information	6
1	Withstand Voltage Tester	CC2670A	1
1	Oscilloscope	TBS1102	1
1	DC Power Supply	PS-305DM	6
1	Digital Torque Meter	HP100	1
4	Calliper	GUANGLU	2
1	Multi-meter	VC890D	7
1	Test Computer	No Information	13

7

vo information 13

✓ Indicates information has been verifed onsite by IUV on 2013.7.15

#### Certifications



## Packing and Shipment





#### Payment

















#### Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand,

and we have estabilshed goods relationship with our customers and have friendly communication with each other.



## Why you choose us?





Flexible Cooperation

#### Company Profile

# This Assessed Supplier Has Been Independently Verified

Build Your Growth On Trust









OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Eruope, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.



#### Contact us

2.

3.∏∏

0000000000000012 + 10000000000024000000;

4.
<b>5.</b>

**6.**[[

#### 

- $\cdot \square \square \square \square 500 \square \square \square \square \square \square \square \square \square POS \square \square \square \square \square \square \square \square$
- ·\_\_\_\_OStar .....
- ·2300\_\_\_\_\_159\_\_\_;
- ·11 OEM / ODM | | |
- ·POS\_\_\_\_\_
- $\cdot \Box \Box \Box \Box \Box \Box \Box \Box \Box \Box$
- $\cdot ISO [ FCC ] CE [ Soncap ] POA [ BIS ] [ ] [ ] [ ] [ ]$
- $\cdot 12 + 1000000$
- $\cdot \square \square "\square \square \square \square \square \square \square "$