

## POS T8

OS:

1. android 4.4
2. 1.2 GHz
3. 4.0 IPS
- 4.
5. L1 & L2 PIN
6. POS
7. Printing
8. IC

OS:	
CPU	1.2 GHz
OS	4.4
RAM / ROM	ROM 4 GB eMMC; 512 MB/1GB DDR2; SD 32 GB
Display	4.0 IPS; 480 * 800
Camera	3 MP (POS)
Battery	4000mAh
Connectivity	
Bluetooth	5 (0.3 M)
WiFi	2
GPS	
POS	
IC	MSR ISO7811/7812
IC	1 1.8 v / 3V / 5V ISO7816 EMV
Frequency	13.56 MHz ISO / IEC 14443 A / B PBOC
SAM	ISO7816 1 SAM
Antenna	
Network	WCDMA / GSM
Network	WCDMA 2100 MHz
Network	GSM / GPRS / 850/900/1800 / 1900 MHz
Network	802.11 / b / g / n
Network	
Network	V4.0 + EDR
USB	USB 2.0 USB OTG
USB	
USB	Pogo Pin 5V-500mA
USB	USB RS232
USB	

寸	205 寸 H * 82 寸 67 寸 W * 33 寸 D
寸	500 寸 (寸寸寸)
寸寸寸	-20 ° C ~ 60 ° C
寸寸寸	-40 ° C ~ 80 ° C
寸	10%~ 90 %rh 寸寸
寸寸寸	1.0 寸寸寸寸
寸寸寸寸寸	500 寸
ESD 寸	± 8KV 寸寸寸;± 15KV 寸寸寸
寸寸寸	
寸寸寸	寸寸 4.4 / SP-UI
寸寸寸	SDK
寸寸寸	PC 寸寸寸 / MDM



# POS-T8



One-Stop POS & Auto-ID Related Products Supplier  
[www.ocominc.com](http://www.ocominc.com)





# POS-T8



One-Stop POS & Auto-ID Related Products Supplier  
[www.ocominc.com](http://www.ocominc.com)





# POS-T8



One-Stop POS & Auto-ID Related Products Supplier  
[www.ocominc.com](http://www.ocominc.com)





# POS-T8



One-Stop POS & Auto-ID Related Products Supplier  
[www.ocominc.com](http://www.ocominc.com)





# POS-T8



One-Stop POS & Auto-ID Related Products Supplier  
[www.ocominc.com](http://www.ocominc.com)





# POS-T8



One-Stop POS & Auto-ID Related Products Supplier  
[www.ocominc.com](http://www.ocominc.com)

