

**2.4G 1D 2D**  
**M / N OCBS-W233**



100mm  
 2.4G + USB  
 100mm  
 250mA 30,000  
 800mm  
 600mm

CMOS	5600K LED
	32
	1MP 1280 * 800
	2.4G + USB 2.4G + + USB
2D	PDF417 Micro PDF 417 QR QR1 / 2 Micro Aztec
1D	UPC-A UPC-E EAN-8 EAN-13 Code128 Code39 Code 93 Code32 Code11 Codabar Plessey MSI Interleaved 2 of 5 IATA 2 of 5 Matrix 2 of 5 Straight 2 of 5 Pharmacode RSS-14 RSS-14 Expanded RSS-14 Limited Composite Code-A Composite Code-B Composite Code-C
1D	4mil 0.10mm
2D	7mil 0.10mm
	39-5mil 60mm-120mm UPCA-13mil 100 35 310
	1/8
	≥30°
	Yaw Skew 55° & Pitch 55°
	2000mAh 30000
	5VDC ±10
	250mA ±5
	0°C ~ + 50°C
	-40°C ~ + 70°C
	5 -95
	CE IP54 ROHS FCC EMC RED LVD
	275
	190 * 115 * 85
	50 / ctn; 16kg / ctn;

□□□□

600□□×450□□×420□□



OCBS-W233





# OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233







OCBS-W233







OCBS-W233





OCBS-W233





# OCBS-W233

