

**POS 58mm / 80mm**  
**POS -D11.6**

□□

□□	POS-d11.6-W/ POS-d11.6-A
□□①	□□□Apollo N3450 □□2.0GHz CPU □□□□
□□②	□□□□MT6797/□□□T880 780MHz □□
OS①	Windows7□Beta□
OS②	□□□□ 8.0
□□①	4GB□□ +64GB□□□□□Windows□
□□②	3GB□□ +64□□ □□□□ □Android□ □□□□□4GB RAM
□□□	□□□□□□□□
□□□□	11.6□□□16□9
□□□	1920 * 1080P□r□□□□□ □□
□□	<b>7000□□</b>
□□	□□□□
□□□	58mm□□□□□□□□□□□□□□80mm□□□□□ □□□□□
□□□①□□□□	USB/ HDMI / USB-A * 2
□□□②□□□□□□	C□ /HDMI□□/ USB-A* 2 /3.5mm□□/ TF□□
□□□□	0°C□40°C
□□□□□Android□	GSM□B2 / 3/5/8 CDMA1X□BC0 WCDMA□B1 / 2/5/8 CDMA2000□BC0 TD-SDMA□B34 / 39 FDD-LTE□B1 / 3/4/5/7 // 20 □□□□□B38 39 40 41 □□4 .0 + EDR □□□□ 802.11 a / b / g / n / ac
□□□□□□□□	□□□ <b>DC</b> □□□ <b>USB2.0x3</b> □ <b>RJ45X1</b> □ <b>58 / 80</b> □□□□□□□□ <b>≤60</b> □□ □□□ <b>MSR</b> /□□/ <b>RFID</b> / <b>RS232</b>
□□□□	-20°C□60°C
□□□□□	110-240V / 50-60HZ□□□□□ □□□□ 12 / 24V□□d□□□□□□□□









