

# POS windows pos

POS -15T01

15.6 1366 \* 768  
 360  
 Windows Android  
 15.6 11.6  
 MSR  
 15.6 11.6

15.6 11.6  
 15.6 11.6  
 15.6 11.6  
 15.6 11.6

## Table

POS	POS -15T01-W / A Windows W Android A
①	Windows 1.99 GHz J1900N
②	Android 1.8GHz RK3288
Windows	Windows 7 Ultimate
Android	Android 6.0
Windows RAM	2GB 4GB 8GB
Android RAM	2GB
Windows	32GB SSD 64GB 128GB
Android	8GB eMMC 32GB TF
Screen	15.6
Screen	15.6 11.6
Screen	VFD LCD
Resolution	1366 * 768
Light	350cd / m <sup>2</sup>
Light	150; 140
J1900 I / O	VGA * 1 USB * 5 RS232 * 1 DC * 1 RJ45 * 1 * 1
RK3288 I / O	USB * 5 RS232 * 2 DC * 1 RJ11 * 1 RJ45 * 1 * 1 MIC * 1
Weight	0.40
Temp	-20 60
Power	110-240V / 50-60HZ DC12 / 5A



POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01





**3. 3**

OCOM

500 100

12 + 1 24

30 DOA DOA

**4. 4**

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

**5. 5**