OCOM Technologies Limited

Address: 3A01, 4F, Block 2, Nanyou 4th Industrial Park, NanShan Ave, Nanshan, Shenzhen 518059, China;

Website: www.ocominc.com, www.possolution.com.cn;

E-mail: ocom@ocominc.com; Tel/Fax: +86.755.8605.3207;



58MM Thermal Printer With Auto Cutter

(Model No.: OCPP-C581)

FEATURE:

- 90mm/s high speed printing
- Auto cut paper more efficient and convenient
- Standard USB port
- USB+LAN, USB+BT, USB+WIFI, Parallel for optional
- Support multi-language code pages
- Support nv logo printing
- Can drive cash drawer
- Compatible with ESPON
- Printing head life: 50KM
- Cutter life:0.6 million times



SPECIFICATION:

Printing Method	Direct thermal
Print Density	384dots/line (203DPI)
Character Size	384dots/line, ANK character, Font: A: 12*24dots, 1.5(W)*3.0(H) mm Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm
Barcode Type	JAN13(EAN13) JAN8(EAN8) CODE39
Printing Command	Compatible with EPSON ESC/POS
Printing Speed	90mm/sec
Paper Width	57.5±0.5mm
Paper Thickness	0.06-0.08mm
MCBF(life)	50km
Cutter life	600,000 times
NV Flash	64kb

Product specifications are subject to change without prior notice.

OCOM Technologies Limited

Address: 3A01, 4F, Block 2, Nanyou 4th Industrial Park, NanShan Ave, Nanshan, Shenzhen 518059, China;

Website: www.ocominc.com, www.possolution.com.cn;

E-mail: ocom@ocominc.com; Tel/Fax: +86.755.8605.3207;



Input buffer	32kb
Dimension	169.3*122*113mm
Gross Weight	1.2KG
Cutter	Auto cutter
Sensor	Paper End Sensor, Cover open sensor
Roll Paper	Ф60mm
Interface	USB Standard, Parallel, USB+ LAN, USB+Bluetooth, USB+wifi for optional If you need to choose optional interfaces the MOQ =120 set
Driver	Win 9X, Win 2000, Win 2003, Win XP, Win Vista, Win 7 win8 win10 compatible with ESPON
Adapter Voltage Input	AC 110V/220V, 50-60Hz
Adapter Voltage Output	DC12V/2.6A
Cash Drawer Control	DC12V/1A
Working Temperature	0-45degree C, Humidity: 10-80%
Saving Temperature	-10-60degree C, Humidity: 10-90%
Certificate	CE/FCC/CCC/RoHS

Available Power Plug



Product specifications are subject to change without prior notice.

OCOM Technologies Limited

Address: 3A01, 4F, Block 2, Nanyou 4th Industrial Park, NanShan Ave, Nanshan, Shenzhen 518059, China;

Website: www.ocominc.com, www.possolution.com.cn;

E-mail: ocom@ocominc.com; **Tel/Fax:** +86.755.8605.3207;



Product specifications are subject to change without prior notice.