

**58mm Kleine Hand Bluetooth Mobil Pos Thermo-Belegdrucker
(Modell: OCPP-M03)**

Spezifikation:

Abmessungen (B x T x H)	105 x 75 x 45 mm
Gewicht	134 g
Farbe	Schwarz
Effektive Druckbreite	48 mm
Druckverfahren	Thermo-Direktdruck
Befehl Drucken	ESC / POS-Befehlssatz kompatibel
Druckgeschwindigkeit	Bis 90 mm / sec
Auflösung	8 Punkte / mm (203DPI)
Drucken Schrift	In 12x24 / 24x24 in
Säulenkapazität	32 / 16columns
Zeichengröße	1,5 x 3,0 mm (Breite x Höhe) / 3.0x3.0mm (Breite x Höhe)
Papierformat	Durchmesser von 58,0 mm bis ± 0,1 mm x40.0
Papierstärke	0,06-0,08 mm
Zeichensatz	Alphanumerische / Chinese Text
Schnittstelle	USB, RS-232, Bluetooth (optional)
Blitz	256KB
Power Adapter	9V DC / 2A
Batterieleistung	Der DC / 1500 mA 7,4 V; Batterie kann in 4-5 Tagen zu bleiben, wenn es voller Kraft ist, kann es 120-150m Papier drucken
Andere Eigenschaften	Papiererkennung, Stromerkennung, manuell heruntergefahren
Arbeitsbedingungen	Temperatur: -10Celsius ~ 50CelsiusHumidity: 10% ~ 90%
Lagerbedingungen	Temperatur: -20Celsius ~ 70CelsiusHumidity: 5% ~ 95%
Gerätename	Kann besonders angefertigt werden, um Buchstaben und Zahlen bis zu 30 ASCII-Zeichen wählen.
Passwort	Default Input Pairing-Code "1234" Es kann angepasst werden. Maximum 6 digitals.
Größe des Netzsteckers	3.5 * 1.1 mm

Bestellinformationen	P / N	Beschreibung
	OCPP-M03-BB	Mit Bluetooth und Batterie, support Android
	OCPP-M03-BB-AI	Mit Bluetooth und Batterie, support Android und IOS
	OCPP-M03-UB	Mit battery USB Kommunikation,
	OCPP-M03-U	USB Kommunikation, ohne BT, Batterie
	OCPP-M03-B	Bluetooth Kommunikation, ohne Batterie
	OCPP-M03-UC	USB Kommunikation, mit Auto-Ladegerät
	OCPP-M03-BC	Bluetooth Kommunikation mit Auto-Ladegerät
	OCPP-M03-C	Individuell gestaltete



Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.



Relevante Dokumente:

*[Spezifikation](#)

*[Programm Program](#)

*[Bedienungsanleitung](#)

*[Driver for WinXP Win2000 WinVista Win8-32bit](#)

[*Treiber für Win8-64bit](#)

[*Treiber für Linux](#)

[*Druckerparameter einstellen Werkzeuge](#)

[*USB Printdemo\(Application Software Demo\)](#)

[*Bluetooth Printdemo\(Application Software Demo\)](#)

[*SDK für Android](#)

[*CD Dateien](#)

Ähnliche Videos:

[Wie wird die OCPP-m05-bb funktioniert über Bluetooth und USB-Kabel](#)

[OCPP-M05-BB-Ich arbeite mit Android und IOS-System](#)

[Video für OCPP-M05 Arbeit mit Andriod Tablet über USB-Kabel](#)

FAQ: