

1. GuT Wärmelichehchchhssipation Sjahr machen POS Arbeiten Sie gut in härterer Umgebung
2. Super- - - - - - Slim-berührensCreen-Anzeige und stilVolles Design verbessern Sie Ihr höheres Profil
3. mo Re wissenschaftlich getrennte Struktur für einfache Wartung und Demontage

Modell	- 1562-w	- 1562-a
Name	15. 6 Zoll Berühren POS t erminal	
Gehäuse Material	Gehäuse und Basis Aluminiumlegierung	
Leistung		
Hauptplatine	Intel Celeron J 6412Anwesend 2,0 GHz Ntel Core i3 CPU zur Option	Rockchip -Serie RK3 568 , Quad Core 2.0 G
System m Emory	1*So-dimm DDR 4 Slot, Unterstützung 3200 MHz, 4 GB /8 GB /16g zur Option	An Bord DDR4 4GB, 8g für Option
Speichergerät	64 GB M.2 SSD oder High ähm, bis 512 GB	an Bord 32 GB EMMC 64 GB für die Option
Lan /Wlan	10/100 /1000 MBS, Realtek RTL8111f LAN - Chip Integriert im Mini-PCI-E-Slot, unterstützen Sie eingebettetes WLAN-Modul	10/100 /1000 MBS, Realtek RTL8111f LAN -Chip Unterstützung Wi-Fi 802.11 A/ b/g/n BT3.0/BT4.0
Betrieb s ystem	Fenster 1 0 /11	Android 11
Konnektivität		
Extern I/O Port J 6412	P ower Taste*1	
	12 V DC in Jack*1	
	LAN: RJ-45*1 , USB*6, com*2, Mini Hdmi*1	
	Line Out & Mic in 2in1 Jack *1	
Extern E/O -Port RK3568	P ower Taste*1	
	12 V DC in Jack*1	
	LAN: RJ-45*1 , USB*6, com*1	
	Ausfallen*1	
Umfeld		
Betriebstemperatur	0 bis 5 0 Grad Celsius	
Lagertemperatur	- 2 0 bis 60 Grad Celsius	
Arbeitsfeuchtigkeit	10%~ 9 0% Keine Kondensation	
Speicherfeuchtigkeit	10%~ 90% Keine Kondensation	
Paket		
Gewicht	Netto Gewicht 3,6k g , g Ross Gewicht 4,9k g	
Packung mit Schaum im Inneren	430*240 * 370 mm für einzelne Bildschirm	

Zubehör	
Power -Adapter	110-240V/50-60 Hz Wechselstrom i nput , DC12 V /5a Ausgangsadapter
Stromkabel	Stromkabelstecker kompatibel mit USA / EU / UK usw. und angepasst verfügbar



**Super Slim Die-cast Aluminum
Touch POS Terminal**

Model: POS-1562



Super Slim



Die-cast Aluminum



Waterproof



Windows/Android




10mm Ultra-thin Body

High-end titanium gray color.
Modern stylish, industry new innovation.




Full Die-cast Aluminum Body

Uniform and delicate oxidized color,
more advanced than the painting process.



Full Lamination Advantage

Improved light transmittance ensure
high-definition display and higher
brightness to compatible with outdoor use.
Dust-free makes the screen cleaner.



Waterproof

Improved waterproof performance of the
surface, to avoid accidental water ingress.



High-Efficiency

Configurated DDR4 3200MHz RAM and NVME
protocol M.2 SSD, faster response when operate.



Scientific Structural Design

Mainboard is sticked behind of lcd screen
ensuring maintenance convenient and
well-done cables management.



Specifications



OS
Windows 10/11
Android 11



Processor
Intel Celeron J6412
Rockchip RK3568



Memory
DDR4 4GB/8GB/16GB



Storage device
128G/256G/512G SSD
32G/64G/128G eMMC



Main screen
15.6" LCD (1920*1080)
16:9, Multi-point projected G+G capacitive touch



Sub-display
11.6"
Touch function for option



Interface
USB2.0*4, USB3.2*2, RJ48(Serial)*2,
1000Mbps LAN*1, Mini HDMI*1,
12V 5A DC input*1, Audio*1



Housing material
Aluminium alloy
Titanium grey



Options
3W Speaker
Wifi&Bluetooth
4G LTE



Environment
Operating temperature: 0°C - 50°C
Storage temperature: -20°C - 60°C



Size (W*H*D)
Product size: 370*180*296(mm)
Packaging size: 430*240*390(mm)



Weight
Net: 3.55kg
Gross: 4.9kg

Notice: Product specifications subject to change without prior notice. Product pictures are taken with engineering sample. OCOM reserves the right to change the product information without prior notice.

Website: www.ocominc.com

