## Mini Portable 58mm Bluetooth Thermal Printer

(Model Number: OCPP- M06)



This mini printer with model number OCPP-

M06 is a Android (or IOS+ Android ) ,Window, Linux, JAVA compatible battery powered 58mm porta ble mobile thermal pos printer which combines USB,RS-232 Serial and Bluetooth (optional) commun ication ways together. This printer could be powered by rechargeable battery, power adapter, or car charger (depending on specified models) . Special model can connect with 8 smart devices for printing at same time. We have CE, FCC and other required certifications.

## Features:

- n Mini size suitable for portable application;
- n Windows, Java, Linux, Android (or Android +IOS ) operation system supported;
- n Bluetooth, USB and RS232 communication supported;
- n SDK for Android available;
- n 1D, 2D barcode (QR code), and image printing supported;
- n Can change the printer name, password, baud rate online;
- n One printer can connected with up to 8 smart devices (7 Android, one Apple device) visa blue tooth :
- n Low power consumption and large capacity Lithium battery (1500mAh), 4~5 days standby;
- n Powered by rechargeable battery, power adapter, or car charger (specified models)
- n Higher print speed 90mm/sec;

- n 100km thermal printer head life;
- n Multiple languages supported;
- n ESC/POS command set compatible;

## Specification:

Overall Dimension (W×D×H)		105×75×45mm
Weight		134g
Color		Black
Print method		Thermal line printing
Print commands		ESC/POS compatible command set
Effective print width		48mm
Print speed		Up to 90mm/sec
Resolution		8 dots/mm(203dpi)
Print font		12x24/ 24x24
Column capacity		32 columns/ 16columns
Character size		1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions		58.0±0.1mm x diameter 40.0mm
Paper thickness		0.06 to 0.08mm
Character set		Alphanumeric/ Chinese Kanji
Interface		USB, RS-232[Bluetooth (optional)
Flash		256KB
Power Adapter		9V DC/2A
Battery Power		7.4V DC/ 1500mAh; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
Other features		Paper detection, manual shut down
Working conditions		Temperature:-10~50 degC, Humidity:10%□90%
Storage conditions		Temperature:-20~70 degC, Humidity:5%□95%
		Can be customized, letter and digital for option, at max 30 ASCII characters.
Password		Enter default pairing code "1234", it can be customized or change by customer itself. At max 6 digitals.
Power plug dimension		3.5*1.1mm
Ordering information O	CPP-M06-BB	Android, USB+COM+Bluetooth, Battery.
O	CPP-M06-BB-AI	Android+IOS, USB+COM+Bluetooth, Battery.
O	CPP-M06-B	Android, USB+COM+Bluetooth, without Battery;
	CPP-M06-U	Mini printer, Android, USB+COM, without Battery.
00	CPP-M06-BB-AA	Android+IOS, USB+COM+Bluetooth, Battery, 7 android +1 apple devices supported

Power adaptor for option:



## Application Area:

Compared to the traditional thermal receipt printer, mini printer has smaller body, more reliable cap ability, more steady printing and portable advantages. The Mini printer can work on a lot of location s, such as the TAXI bill printing, administrative fees receipt printing, post receipt printing, restauran t ordering information printing, online payment information printing, etc. With the rapid popularity of smart-mobile, tablet and so on, Mini printer will be more widely used in the near future.

Key words: thermal printer, bluetooth printer, mini printer, portable printer, pos printer, mobile printer, receipt printer, wireless printer, ticket printer, bill printer, qr code printer, pocket printer, invoi ce printer, mini printer, 58mm bluetooth printer, 2inch bluetooth printer.

×

×

×

×

×