

## Mini tragbare Android Mobile bluetooth pos Thermo-Belegdrucker

**(Modell: OCPP-M082)**

### Technische Daten:

Abmessungen (B x T x H)	98 x 103 x 45 mm
Gewicht	280 g
Farbe	Schwarz
Effektive Druckbreite	72 mm
Druckverfahren	Thermischer Zeilendruck
Druckbefehl	ESC / POS-Befehlssatz kompatibel
Druckgeschwindigkeit	Bis 90mm / s
Lösung	8 Punkte / mm (203DPI)
drucken Schrift	In 12X24 / 24x24 in
Säulenkapazität	48 / 24columns
Schriftgröße	1,5 x 3,0 mm (Breite x Höhe) / 3.0x3.0mm (Breite x Höhe)
Papier gröÙe	Durchmesser von 80,0 mm bis ± 0,1 mm x30.0
Papierstärke	0,06-0,08 mm
Zeichensatz	Alphanumeric / Chinese Text
Schnittstelle	USB, RS-232, Bluetooth (optional)
Blinken	256KB
Netzteil	9V DC / 2A
Battery Power	DC / 2000 mA 7,4 V; Batterie kann in 4-5 Tagen zu bleiben, wenn es voller Kraft ist, kann es drucken 120-150m Papier
Andere Eigenschaften	Papiererkennung, Stromerkennung, manuell heruntergefahren
Arbeitsbedingungen	Temperatur: -10degreeC~50degreeC Luftfeuchtigkeit: 10%~90%
Lagerbedingungen	Temperatur: -20degreeC~70 degreeC Luftfeuchtigkeit: 5%~95%
Gerätename	Kann angepasst werden bis zu 30 ASCII-Zeichen Buchstaben und Zahlen auszuwählen.
Passwort	Default Input Pairing-Code "1234"Es kann angepasst werden. Maximal 6 digitals.
Größe des Netzsteckers	3,5 * 1,1 mm

	P / N	Beschreibung
Oderdering Informationen	OCPP-M082-BB	Mit Bluetooth und Batterie, supprot Android
	OCPP-M082-BB-AI	Mit Bluetooth und Batterie, supprot Android und IOS
	OCPP-M082-UB	Mit barrery USB Kommunikation,
	OCPP-M082-U	USB-Kommunikation, ohne BT, Batterie
	OCPP-M082-B	Bluetooth Kommunikation, ohne Batterie
	OCPP-M082-UC	USB-Kommunikation, mit Auto-Ladegerät
	OCPP-M082-BC	Bluetooth Kommunikation mit Auto-Ladegerät
	OCPP-M082-C	Andere Customized

### Produktdetails:





## Features

### Simple but not easy

Support Windows, Android,  
or iPhone OS;



Bluetooth, USB and  
RS232 communication.

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec.



100km TPH Life.





Low power consumption  
and large capacity  
Lithium battery.

### All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,  
Warehouse management, Delivery, Illegal Parking Ticket,  
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



<b>Overall Dimension (W×D×H)</b>	98×103×45mm
<b>Weight</b>	280g
<b>Color</b>	Black
<b>Effective print width</b>	72mm
<b>Print method</b>	Thermal line printing
<b>Print commands</b>	ESC/POS/STAR compatible command set
<b>Print speed</b>	Up to 90mm/sec
<b>Resolution</b>	8 dots/mm(203dpi)
<b>Print font</b>	12x24/ 24x24
<b>Column capacity</b>	48 columns/24 columns
<b>Character size</b>	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm( W x H)
<b>Paper dimensions</b>	80.0±0.1mm x diameter 30.0mm
<b>Paper thickness</b>	0.06 to 0.08mm
<b>Character set</b>	Alphanumeric/ Chinese Kanji ASCII Font A:12×24 Font B: 9x17 Korean code page 949
<b>Communication Interface</b>	USB/RS-232, Bluetooth
<b>Flash</b>	256KB
<b>Power Adapter</b>	9V DC/1.5A
<b>Battery Power</b>	7.4V DC/ 2000mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
<b>Other features</b>	Paper detection, power detection, Manual shut down
	Temperature:-10 degC ~ 50 degC.Humidity:10% ~

Working conditions	90%
Storage conditions	Temperature:-20 degC ~ 70 degC, Humidity:5% ~ 95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

## Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.



## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),  
Together we quest for the best.



## Relevante Dokumente:

- \*[TECHNISCHE DATEN](#)
- \*[Programmhandbuch](#)
- \*[Bedienungsanleitung](#)
- \*[Treiber für WinXP Win2000 WinVista Win7 Win8-32bit](#)
- \*[Treiber für Win7 Win8-64bit](#)
- \*[Treiber für Linux](#)
- \*[Druckerparameter einstellen Werkzeuge](#)
- \*[USB Printdemo\(Application Software Demo\)](#)
- \*[Bluetooth Printdemo\(Application Software Demo\)](#)
- \*[SDK für Android](#)
- \*[CD Dateien](#)