OCBS -E7 Mini-Barcodescanner für drahtlose Inventarisierung mit Display

(M / N: OCBS-E7)

Eigenschaften:

2,4-Zoll-16-Bit-True-Color-Bildschirm

16 MB übergroßer Speicher

433 MHz drahtlose Fernkommunikation

16 Stunden Arbeitszeit

Visualisiertes Setup-Menü, mehrere Arbeitsmodi

ABS + Silikon Fallschutz

Spezifikation:

Specifications:	
Model	OCBS-E7
Color	Black
CPU speed	72MHz
Keyboard	T9
RAM	16KB
ROM	16MB
Screen Size	2.4"
Screen Color	16bit true color（65536 colors）
Resolution	240*320
Battery	Rechargeable Lithium-ion （3.7V，1900mAh）
Working time	16 hours
Standby	15 days
Dimension	138mm×60mm×30mm
Material	ABS + silicone
Charging indicator	LCD
Working current	160mA
Standby current	8mA
Safety standard	national laser safety standard Class II
EMC	CE & FCC DOC compliance
Light Source	650nm
Scan Pattern	Single line
Decode Rate	100±2 scans / second
Resolution	3mil
Scan width	20mm@window，220mm@200mm
Depth of Field	0～250mm（0.33mm，PCS 90%）
Roll	30°
Pitch	65°
Skew	55°
Print contrast	Not less than 30%
Operating Mode	Continuous / itemized scanning
Error Rate	1/5million
indicator	beeper，LCD
Barcode supported	EAN-8，EAN-13，UPC-A，UPC-E，Code 39，Code 93，Code 128，EAN128，Codaber，Industoal 2 of 5，Interleave 2 of 5，Matrix 2 of 5，MSI
Cable	USB 2.0
Wireless	433MHz(Max.300m)
Storing Temperature	-20℃～60℃
Working Temperature	0℃～45℃
Humidity	5%～95%
Lumination	Max.5,000 Lux（Fluorescence）

30mm
138mm
60mm


10.0cm
10.0cm
10.0cm