

China Shenzhen OEM bester Hand-Free-Pos-Android-Auto-Sense- Omni-Kabel-1D-2D-QR-Code-Barcode-Scanner-Hersteller

(M/N:OCBS-T215)

Merkmale:



Großes Lesefenster;

Identifizieren Sie schnell den 1D/2D-Code des Bildschirms;

Versteckte Anti-Pull-Datenkabelbuchse.

Spezifikation

| | |
|------------------|-----------|
| Allgemein | |
| Modell | OCBS-T215 |
| Schnittstelle | USB |
| Betriebsspannung | 5V |
| Startstrom | 420mA |
| Arbeitsstrom | 400mA |
| Standby-Strom | 270mA |

| | |
|--|---|
| Leistung | |
| Sensor | Gesamtbelichtung 640*480 CMOS-Sensor |
| Lichtquelle | Rote LED |
| Feldansicht | 57,2° (H), 44,2° (V) |
| Bewegungstoleranz | > 0.3m/s |
| Scan-Winkel | Neigung ±70° bei 0° Roll und 0° Schräglage Rolle 360° bei 0° Neigung und 0° Neigung Schrägstellung ±70° bei 0° Roll und 0° Neigung |
| Symbolkontrast | 20 % Mindestreflexionsunterschied |
| Immunität gegen Umgebungslicht | 0-100.000 Lux |
| Typische Schärfentiefe | Code39 (5mil):20mm-80mm, EAN13 (13mil):10mm-160mm Schnellspanner (15 mil): 10 mm-140 mm Datenmatrix (15 mil): 10 mm-100 mm PDF417 (10mil):10mm-120mm |
| Dekodierungsfähigkeit | (Codabar),(Code 39),(Code 32),(Industrial 2 of 5),(Interleaved 2 of 5),(Standard 2 of 5),(Matrix 2 of 5),(Code 93),(Code 11),(Code 128),(UPC-A),(UPC-E),(EAN/JAN-8),(EAN/JAN-13),(GS1 DataBar(RSS14)(PDF417),(QR Code),(Micro QR),(Data Matrix),(Aztec),(Hanxi Code) |
| Physisch | |
| Gewicht | Brutto: 640 g |
| Paket | 230*170*95mm |
| Umfeld | |
| Arbeitstemperatur und Luftfeuchtigkeit | 0 bis 45 Grad Celsius, 10 % ~ 80 % Keine Kondensation |
| Lagertemperatur und Luftfeuchtigkeit | -20 bis 60 Grad Celsius, 10 % ~ 90 % Keine Kondensation |















Model: OCBS-T215
Interface: USB
OCBST2152214100001
Made in China







1. Safety Information Manual

1.1. The safety and health of the user are the primary concern of the manufacturer. When the product is used in accordance with the instructions, the user will be able to use it safely and effectively.

1.2. The user should read the manual carefully and thoroughly before using the product. The user should read the manual every time the product is used.

Special instructions: This instruction manual contains special instructions that must be read and understood before using the product. The user should read these instructions carefully and thoroughly before using the product.

1.3. The user should read the manual carefully and thoroughly before using the product. The user should read the manual every time the product is used.

1.4. The user should read the manual carefully and thoroughly before using the product. The user should read the manual every time the product is used.

HOW TO USE THE PRODUCT



2.1. The user should read the manual carefully and thoroughly before using the product. The user should read the manual every time the product is used.

2.2. The user should read the manual carefully and thoroughly before using the product. The user should read the manual every time the product is used.

2.3. The user should read the manual carefully and thoroughly before using the product. The user should read the manual every time the product is used.







2D Barcode Scanner
Model: OCBS-T215 Color: Black
Interface: USB CE FC
Power Input: 5V1A

OCBS T2152214100001
Made in China