

Supermarkt 360-Grad-Desktop-USB-Windows-Android-robuster 1d-2d-omnidirektionaler Barcode-Scanner

(M/N:OCBS-T215)

Merkmale:



Großes Lesefenster;

Identifizieren Sie schnell den 1D/2D-Code des Bildschirms;

Versteckte Anti-Pull-Datenkabelbuchse.

Spezifikation

Allgemein	
Modell	OCBS-T215
Schnittstelle	USB
Betriebsspannung	5V
Anlaufstrom	420mA
Arbeitsstrom	400mA
Standby-Strom	270mA
Leistung	
Sensor	Gesamtbelichtung 640*480 CMOS-Sensor
Lichtquelle	Rote LED
Feldansicht	57,2° (H), 44,2° (V)
Bewegungstoleranz	> 0,3 m/s
Scan-Winkel	Neigung $\pm 70^\circ$ bei 0° Roll und 0° Schräglage Roll 360° bei 0° Neigung und 0° Neigung Schrägstellung $\pm 70^\circ$ bei 0° Roll und 0° Neigung
Symbolkontrast	20 % Mindestreflexionsunterschied
Immunität gegen Umgebungslicht	0-100.000 Lux
Typische Schärfentiefe	Code39 (5mil):20mm-80mm, EAN13 (13mil):10mm-160mm Schnellspanner (15 mil): 10 mm-140 mm Datenmatrix (15 mil): 10 mm-100 mm PDF417 (10mil):10mm-120mm
Dekodierungsfähigkeit	(Codabar), (Code 39), (Code 32), (Industrial 2 of 5), (Interleaved 2 of 5), (Standard 2 of 5), (Matrix 2 of 5), (Code 93), (Code 11),(Code 128),(UPC-A),(UPC-E),(EAN/JAN-8),(EAN/JAN-13),(GS1 DataBar(RSS14) (PDF417), (QR-Code), (Micro QR), (Data Matrix), (Aztec), (Hanxi-Code)
Physisch	
Gewicht	Brutto: 640g
Paket	230*170*95mm
Umfeld	
Arbeitstemperatur & Luftfeuchtigkeit	0 bis 45 Grad Celsius, 10 % ~ 80 % Keine Kondensation
Lagertemperatur & Luftfeuchtigkeit	-20 bis 60 Grad Celsius, 10 % ~ 90 % Keine Kondensation















Model: OCBS-T215

Interface: USB



OCBST2152214100001

Made in China





1. Introduction	1
2. Safety Instructions	2
3. How to Use the Device	3
4. Troubleshooting	4
5. Contact Information	5

HOW TO USE THE DEVICE



1. Introduction

The device is used to measure the voltage across the terminals of the motor. When the device is connected to the terminals, it will measure the voltage and display the result on the LCD screen.

2. Safety Instructions

The device should only be used on a live circuit. Do not touch the terminals or wires while the device is connected. The device is not waterproof and should not be used in wet or damp conditions. The device is not suitable for use in explosive atmospheres.

3. How to Use the Device

Connect the device to the terminals of the motor. The device will automatically measure the voltage and display the result on the LCD screen. The device will also display the voltage in Volts (V) and Amperes (A).

4. Troubleshooting

If the device does not work, check the following:

- Is the device connected to the terminals correctly?
- Is the device powered on?
- Is the device battery fully charged?

5. Contact Information

For more information, please contact our customer service team at sales@ocom.com or call our helpline at 0800 123 456.

© 2023 ocom. All rights reserved. This document is the property of ocom and is not to be distributed without the written permission of ocom. The information in this document is subject to change without notice. ocom is not responsible for any errors or omissions in this document. The information in this document is for informational purposes only and does not constitute an offer of any financial product or service. Please consult your financial advisor for more information.





2D Barcode Scanner
Model: OCBS-T215 Color: Black
Interface: USB CE FC
Power Input: 5V1A

OCBS T2152214100001
Made in China