

OCPP-80E-US 80mm Thermodrucker mit Auto Cutter USB + RS232-Ports (Modell Nr .: OCPP-80E-US)

1.Features:

- 1.Desktop oder an der Wand befestigter Typ für Wahl.
2. Unterstützt Multi 1D Barcodes und 2D-Codes drucken.
- 3.100M Ethernet-Port, ultraschnelle Datenübertragung.
- 4.Unterstützt 256KB NV Logo Speicher und 2M großen Pufferspeicher.
- 5.Supports Auftrag erinnern Funktion, kompatibel mit OPOS Treiber.und Schwarzmarkendetektion(Wahlweise)
6. Unterstützt Druck Status Monitor und Anti-Verlust-Auftrag-Funktion.

2.Technische Parameter:

Druckmethode:	Direkt thermisch
Druckgeschwindigkeit:	200 mm / s
Rollenbreite:	79,5 ± 0,5 mm
Druckdurchmesser:	Ø80mm
Papierstärke:	0,06-0,08 mm
Säulenkapazität:	576 Punkte / Linie 512 Punkte / Linie
Zeilenabstand :	3,75 mm(Einstellbar durch Befehle)
Druckbefehl:	Kompatibel mit dem ESC / POS-Befehl
Oberflächentyp:	USB+25P seriell/ 36P Parallelanschluss / LAN
CÄußerungen Leben:	1 Million Schnitte
PRint Kopf Leben:	100 km
Eingabepuffer :	2048 Kbytes
NV Flash:	256 Kbytes
Netzteil:	AC110V / 240V,50 ~ 60Hz
Energieversorgung:	DC 24 V / 2,5 A
Kassenlade Versorgung:	DC 24 V / 1A
Arbeitsumgebung:	Temperatur (0~45) Feuchtigkeit (10~80%)(Neinn- kondensieren)
Arbeitsumgebung:	Temperatur (0-45) Grad Celsius, Feuchtigkeit (10-80%) Neinn- kondensieren
Speicherumgebung:	Temperatur (-10~60°C); HFeuchtigkeit (10~90%)
Zeichengröße:	ANK,FontA: 1,5 * 3,0 mm / FontB:1,1 * 2,1 mm
Barcode:	UPC-A / UPC-E / JA(EAN13) / JAN8(EAN8 / CODE39 / ITF / CODE93 / CODE128/QR-Code/ PDF417 (Optionen)
Figuren:	PC347(Standard Europa),Katakana,PC850(Mehrsprachig),PC860(Portugiesisch),PC863(Kanadisch-Französisch),PC865(nordisch),Westeuropa,griechisch,hebräisch,Osteuropa,Ich rannte,WPC1252,PC866(Kyrillisch # 2),PC852(Latein2),PC858,IranII,lettisch,Arabisch,PT151(1251)
Physikalische Eigenschaften:	Gewicht: 1,25 kg; Aussehen Größe: 190 × 145 × 143mm (Länge * Breite * Höhe)

3. Bilder:



80mm Thermal Printer with Auto Cutter

OCPP-80E



Product Picture



Features:

Reliable with good price



Supports black mark detection and order reminding function, compatible with OPOS driver;

Supports multi 1D barcodes and 2D codes printing;



100M Ethernet port, ultra high speed data transmission;



Supports 256KB NV Logo storage and 2M big buffer memory;



Desktop or wall-mounted type for option;



Supports printing status monitor and anti-losing order function.



Application place



Restaurant



Supermarket



Pharmacy



Warehouse



Clothing store



Bookstore

Parameter

Printing method:	Direct thermal
Printing speed:	230mm/s、260mm/s
Roll width:	79.5±0.5mm
Print diameter:	Φ80mm
Paper thickness:	0.06-0.08mm
Column capacity:	576dots/line , 512dots/line
Line's pacing :	3.75mm (Adjustable by commands)
Print command:	Compatible with the ESC/POS command
Interface type:	Serial+USB+Lan/36P parallel port/25P serial +USB/LAN
cutters life:	1million cuts
Print head life:	100 km
Input buffer :	2048Kbytes
NV Flash:	256Kbytes
Power adaptor:	AC110V/240V、50~60Hz
Power supply:	DC 24V/2.5A
Cash drawer supply:	DC 24V/1A
Work environment:	Temperature(0 ~ 45) humidity(10 ~ 80%) (Non- condense)
Work environment:	Temperature(0-45) degree centigrade, humidity(10-80%) Non- condense
Storage environment:	Temperature(-10 ~ 60℃); Humidity(10 ~ 90%)
Character size:	ANK, FontA:1.5*3.0mm/ FontB: 1.1*2.1mm
Barcode:	UPC-A/UPC-E/JA (EAN13) /JAN8 (EAN8/CODE39/ITF /CODE93/CODE128 QRCode
Characters:	PC347 (Standard Europe)、Katakana、PC850 (Multilingual)、 PC860 (Portuguese)、PC863 (Canadian-French)、PC865 (Nordic)、West Europe、Greek、Hebrew、East Europe、 Iran、WPC1252、PC866 (Cyrillic#2)、PC852 (Latin2)、 PC858、IranII、Latvian、Arabic、PT151 (1251)
Physical characteristics:	Weight: 1.25Kg; Appearance size: 190×145×143mm (length * width * height)

Supported Languages:

Afrikaans	Arabic (Tunisia)	English (British)	French (Switzerland)	Latvian	Spanish (Costa Rica)
Albanian	Arabic (Yemen)	English (Canada)	German (Austria)	Lithuanian	Spanish (Dominican)
Arabic (Algeria)	Basque	English (Caribbean)	German (Liechtenstein)	Macedonian	Spanish (Ecuador)
Arabic (Bahrain)	Belarus	English (Irish)	German (Luxembourg)	Polish	Spanish (Guatemala)
Arabic (Egypt)	Bulgarian	English (Jamaica)	German (Standard)	Portuguese (Brazil)	Spanish (Mexico)
Arabic (Iran)	Catalan	English (New Zealand)	German (Switzerland)	Portuguese (Portugal)	Spanish (Panama)
Arabic (Jordan)	Chinese (Singapore)	English (South Africa)	Greek	Romanian	Spanish (Paraguay)
Arabic (Kuwait)	Chinese (Hongkong)	English (US)	Hebrew	Russian	Spanish (Peru)
Arabic (Lebanon)	Chinese (PRC)	Estonian	Hun	Serbian	Spanish (Uruguay)
Arabic (Libya)	Chinese (Taiwan)	Faroese	Icelandic	Slovak	Spanish (Venezuela)
Arabic (Morocco)	Croatian	Farsi	Indonesian	Slovenian	Thai Language
Arabic (Oman)	Czech	Finnish	Italian (Switzerland)	Swedish	Turkish
Arabic (Qatar)	Danish and Norwegian	French (Belgium)	Italian	Spanish (Argentina)	Ukrainian
Arabic (Saudi Arabia)	Dutch (Belgium)	French (Canada)	Japanese	Spanish (Bolivia)	Urdu
Arabic (Syria)	Dutch (standard)	French (Luxembourg)	Korean	Spanish (Chile)	Vietnamese
Arabic (UAE)	English (Australia)	French (Standard)	Vietnamese	Spanish (Colombia)	


Power plug for option:



How to use?

Connecting the printer:

- ▶ The power adapter cable connect to the printer power interface
- ▶ The interface cable connect on the printer port behind
- ▶ The cash drawer connecting cable connect to the printer's behind the cash drawer interface




Installation of paper roll:



- Open the printer cover.
- Install the roller in the roll paper, and put them into the printer.
- Pull out some paper outside the printer and then close the printer cover.
- Close the top cover. Press the printer cover to avoid error position of roll paper.
- Tear-off the paper correctly.

Setting the Printing Mode(DIP switches):

The DIP switches are used to set the printer to perform various functions, such as cutter mode, character set, speed, beeper, print density and etc.



Power indicator:
Turn on/off the printer

Alarm indicator:
When the printer is out of paper, the cutter error occurs or printer head overheats, the ALARM indicator flashes.

Paper indicator:
Both of paper indicator and error indicator are on, means paper end-user, both of paper indicator and error indicator are off, means have paper.

FEED button:
Press to feed paper manually.

Clean of printer:

When the printer has the following conditions should clean the print head:

- ❑ The printer does not clear
- ❑ The page frame lengthways of printer has some not clean
- ❑ Paper feed with a large noise

Printer cleaning steps as follows:

- ✓ Shut off the power of printer, Open the Top Cover; If there is paper, please wipe off the paper;
- ✓ If it just finished a printing, please wait for a while until the print head cooling;
- ✓ With a soft cotton cloth dipped in ethanol (to be wrung) erase the thermal printer head thermal surface dust, stains;
- ✓ As the anhydrous ethanol evaporate completely, closed the top cover, and restart to print.

Production Process

No.	Production Process	No.	Production Process	No.	Production Process
1	 Inspection 1	2	 Soldering	3	 Assembling 1
4	 Assembling 2	5	 Function Test	6	 Ageing Test
7	 Inspection 2	8	 Packing 1	9	 Packing 2

Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

Certification:





Warranty and After Sales:



- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:



Payment:



secure payment



AliExpress

PayPal

Trade Assurance

Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile

TRADE ASSURANCE



- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.



Why you choose us?



Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Sales Center:

Address: Unit701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan

District, Shenzhen 518054, China

Website: www.ocominc.com www.possolution.com.cn;

E-mail: ocom@ocominc.com, info@possolution.com.cn ;

Tel: +86.755.86053207 ext 800;

Fax: +86.755.86053207 ext 868;

QQ: 2485890637, 190852203;

Wechat: szocominc, hj34924238;

Whatsapp: 008613352932860;



4. FAQ:

1). Garantie

OCOM ist bestrebt, die kosteneffektivsten Produkte und Dienstleistungen mit höchster Qualität zu liefern, um die Kundenzufriedenheit zu gewährleisten. Unsere Garantie für die Produkte beträgt normalerweise 12 Monate ab dem Versand, einige bestimmte Modelle können bis zu 24 Monate Garantie haben. Für den Massenauftrag können wir Ihnen einige Ersatzteile für die lokale Reparatur liefern. Und danach können Sie fehlgeschlagene Teile für Nacharbeiten zurückgeben.

2). Zahlungsbedingungen

Für Massenauftrag können Sie uns mit T / T, LC, Western Union, Übertragungsurkunde oder anderen bezahlen. Über Proben bestellen, T / T, Western Union, Übertragungsurkunde, Paypal sind akzeptabel. Escrow Service wird von Alipay.com betrieben. Derzeit können Sie mit Moneybookers, Visa, MasterCard und Banküberweisung bezahlen. Sie können auch mit ausgewählten Debitkarten wie Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B und Euro6000 bezahlen.

3). Versand

Wir akzeptieren alle Arten von Versandarten einschließlich: Express, Luft, See, Auto oder Abholung durch Kunden persönlich.

4). Beispiel Verfügbarkeit & Politik

Nachdem Kunden unsere Spezifikation bestätigt haben, sind wir sehr froh, Proben für Prüfung und Qualifikation zur Verfügung zu stellen. Alle Proben sollten vor Versand bezahlt werden, und der Preis der Proben ist ein wenig höher als Massenauftrag. Wenn die Massenbestellung platziert wird, können wir Ihnen die Musterkosten zurücksenden oder Ihnen mehr Produkte mit den Versandstücken zusenden. Sie können die Proben von uns direkt mit t / t, Western Union oder Paypal kaufen. Und Sie können es auch auf unserem on-line-Speicher bei aliexpress kaufen: http://www.aliexpress.com/store/403448?tracelog=minisite_CI Die Beispielreihenfolge wird benötigt, bevor wir zu unserer factorie freigeben

5). After-Sales-Service:

(1) Alle Produkte Garantie ist nicht weniger als ein Jahr, einige Modelle sogar bis zu zwei Jahren Garantie. (2) Für Massenaufträge für die lokale Wartung des Kunden werden Ersatzteile geliefert. (3) Händler oder Bevollmächtigte im Hauptmarkt haben, die lokale Reparatur- und Ersatzdienste anbieten können. (4) Professionelles CRM-Management gewährleistet schnelle Kundenanfragen und Auftragsverfolgung. (5) Vertrieb mit langjähriger Außenhandelserfahrung, Fremdsprachenkenntnissen und starkem Verantwortungsbewusstsein. (6) 7 * 24 Stunden online, Arbeitstage reagieren innerhalb von vier Stunden, Ruhetage innerhalb von 12 Stunden.6) .Download

Sie können auf <http://www.possolution.com.cn/cn/download.html> Treiber, SDK-Software, Produktspezifikationen und Benutzerhandbücher zugreifen.

7) .Videoführung

Um Kunden zu helfen, unsere Produkte besser zu nutzen, haben wir einige Video-Anleitungen aufgezeichnet und hochgeladen. Sie finden sie unter <http://www.possolution.com.cn/video.html>.

8). MOQ-Politik

Keine MOQ-Beschränkung für die Standardprodukte, aber der Stückpreis ist unterschiedlich. Für kundenspezifische Produktion, können Sie das MOQ mit unserem Vertriebsmitarbeiter besprechen.

5. Über uns:

OCOM Technologies Ltd. ist der Hauptlieferant und Hersteller von POS- und Auto-ID-bezogenen Produkten mit TÜV-geprüft. OCOM bedient das Fortune-500-Unternehmen und hat die Top-1-Prozent-Garantie von alibaba.

Das Produktportfolio von OCOM umfasst Thermodrucker, Barcode-Drucker, Nadeldrucker, Barcode-Scanner, POS-Terminal, Magnetkartenleser, Terminals und andere POS-Peripheriegeräte (Kassenschublade, Kundenanzeige, POS-Monitor, POS-Tastatur, Geldzähler, elektronische Waage, Thermopapier), die für Einzelhandels-, Restaurant-, Bank-, Lotterie-, Transport-, Logistik- und andere Anwendungen weit verbreitet sind. Wir haben CE, FCC und andere erforderliche Zertifizierungen.

OCOMs Mission ist es, die überzeugende Wahl für unsere Partner zu sein, und unsere drei

Grundüberzeugungen sind "Integrität basierend, Streben nach Exzellenz, Win-Win-Kooperation". Wir möchten stabile und zuverlässige Partnerschaften mit Kunden auf der ganzen Welt aufbauen. OEM / ODM ist willkommen.

6.Kontakte:

Kontakt: Harold Hu

OCOM Technologies Limited

Adresse: 4 / F, Block 10, Zhongxing Industriepark, Chuangye Road, Nanshan District, Shenzhen 518054, China;

Webseite: www.ocominc.com, www.possolution.com.cn;

E-Mail: sales14@ocominc.com;

Skype: [sales14@ocominc.com](https://www.skype.com/people/sales14@ocominc.com)

MSN: ocomsales14@hotmail.com;

Whatsapp: 86.18948789890;

Wechat: 18948789890 (ocomsales14);

Mobil: 86.18948789890;

QQ: 1467261417;

Tel: 0086,755.86053207-814;

Fax: 0086,755.86053207-868.