

Eigenschaften:

Unterstützung Windows, JAVA, Android, IOS oder Android + IOS OS;
USB, RS-232-Kommunikation, Bluetooth (optional);
Batterieladeanzeige für einfachen Zugriff auf die verbleibende Leistung.
Ändern Sie den Namen und das Passwort des Bluetooth-Druckers online.
QR-Code-Unterstützung;
Höhere Druckgeschwindigkeit von 90 mm / s;
100 km TPH-Leben;
Lithiumbatterien mit geringer und großer Kapazität;
Standard-Netzteil für Kfz-Ladegeräte.

Produktspezifikationen:

| | |
|-------------------------------------|---|
| Abmessungen (Breite x Tiefe x Höhe) | 105 x 75 x 45 mm |
| Gewicht | 134 Gramm |
| Farbe | Schwarz |
| Effektive Druckbreite | 48 mm |
| Druckmethode | Hotline-Druck |
| Druckauftrag | ESC / POS kompatibler Befehlssatz |
| Druckgeschwindigkeit | Bis zu 90 mm / Sek |
| Auflösung | 8 Punkte / mm (203 dpi) |
| Schriftart drucken | 12x24 / 24x24 |
| Spaltenkapazität | 32 Spalten / 16 Spalten |
| Zeichengröße | 1,5 x 3,0 mm (Breite x Höhe) / 3,0 x 3,0 mm (Breite x Höhe) |
| Papiergröße | 58,8 ± 0,1 mm x Durchmesser 40,0 mm |
| Papierdicke | 0,06 bis 0,08 mm |
| Zeichensatz | Alphanumerische / chinesische Zeichen |
| Schnittstelle | USB, RS-232, Bluetooth (optional) |
| Flash | 256KB |
| Netzteil | 9 V DC / 2A |
| Batterieleistung | 7.4V DC / 1500mA, die Batterie kann für 4-5 Tage dauern, wenn es volle Leistung ist, kann es 120-150 Meter Papier drucken |
| Andere Eigenschaften | Papiererkennung, Stromerkennung, manuelle Abschaltung |
| Arbeitsumgebung | Temperatur: -10 ° C ~ 50 ° C, Feuchtigkeit: 10% ~ 90% |
| Lagerbedingung | Temperatur: -20 ° C ~ 70 ° C, Luftfeuchtigkeit: 5% ~ 95% |
| Gerätename | Anpassbare, alphanumerische und numerische Optionen, bis zu 30 ASCII-Zeichen. |



58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



Product Picture





Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec





Support Windows, Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



Parameter

| | |
|---------------------------|-------------------------------------|
| Overall Dimension (W×D×H) | 105×75×45mm |
| Weight | 134g |
| Color | Black |
| Effective print width | 48mm |
| Print method | Thermal line printing |
| Print commands | ESC/POS compatible command set |
| Print speed | Up to 90mm/sec |
| Resolution | 8 dots/mm(203dpi) |
| Print font | 12x24/ 24x24 |
| Column capacity | 32 columns/ 16columns |
| Character size | 1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH) |
| Paper dimensions | 58.0±0.1mm x diameter 40.0mm |
| Paper thickness | 0.06 to 0.08mm |
| Character set | Alphanumeric/ Chinese Kanji |
| Interface | USB, RS-232, Bluetooth (optional) |
| Flash | 256KB |
| Power Adapter | 9V DC/2A |

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.





Monica Fu



OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 801

Fax: 0086.755.8605.3207 ext 868

Web: www.ocominc.com

E-mail: sales01@ocominc.com, sales01@ocomtech.com.cn

Skype: ocomsales01; **MSN:** ocomsales01@hotmail.com

Ali TM: cn1001868228; **QQ:** 1483705401

Mobile/Wechat/Whatsapp: 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products