

**Eigenschaften:**

Unterstützung Windows, JAVA, Android, IOS oder Android + IOS OS;  
USB, RS-232-Kommunikation, Bluetooth (optional);  
Batterieladeanzeige für einfachen Zugriff auf die verbleibende Leistung.  
Ändern Sie den Namen und das Passwort des Bluetooth-Druckers online.  
QR-Code-Unterstützung;  
Höhere Druckgeschwindigkeit von 90 mm / s;  
100 km TPH-Leben;  
Lithiumbatterien mit geringer und großer Kapazität;  
Standard-Netzteil für Kfz-Ladegeräte.

**Produktspezifikationen:**

Abmessungen (Breite x Tiefe x Höhe)	105 x 75 x 45 mm
Gewicht	134 Gramm
Farbe	Schwarz
Effektive Druckbreite	48 mm
Druckmethode	Hotline-Druck
Druckauftrag	ESC / POS kompatibler Befehlssatz
Druckgeschwindigkeit	Bis zu 90 mm / Sek
Auflösung	8 Punkte / mm (203 dpi)
Schriftart drucken	12x24 / 24x24
Spaltenkapazität	32 Spalten / 16 Spalten
Zeichengröße	1,5 x 3,0 mm (Breite x Höhe) / 3,0 x 3,0 mm (Breite x Höhe)
Papiergröße	58,8 ± 0,1 mm x Durchmesser 40,0 mm
Papierdicke	0,06 bis 0,08 mm
Zeichensatz	Alphanumerische / chinesische Zeichen
Schnittstelle	USB, RS-232, Bluetooth (optional)
Flash	256KB
Netzteil	9 V DC / 2A
Batterieleistung	7.4V DC / 1500mA, die Batterie kann für 4-5 Tage dauern, wenn es volle Leistung ist, kann es 120-150 Meter Papier drucken
Andere Eigenschaften	Papiererkennung, Stromerkennung, manuelle Abschaltung
Arbeitsumgebung	Temperatur: -10 ° C ~ 50 ° C, Feuchtigkeit: 10% ~ 90%
Lagerbedingung	Temperatur: -20 ° C ~ 70 ° C, Luftfeuchtigkeit: 5% ~ 95%
Gerätename	Anpassbare, alphanumerische und numerische Optionen, bis zu 30 ASCII-Zeichen.



## 58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



### Product Picture





## Features

### Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows, Android, or iPhone OS;  
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.  
100km TPH Life



Low power consumption and large capacity Lithium battery.



## All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



## Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

## Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

## Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),  
Together we quest for the best.





Monica Fu



## OCOM Technologies Limited

---

**Add:** 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

**Tel:** 0086.755.8605.3207 ext 801

**Fax:** 0086.755.8605.3207 ext 868

**Web:** [www.ocominc.com](http://www.ocominc.com)

**E-mail:** [sales01@ocominc.com](mailto:sales01@ocominc.com), [sales01@ocomtech.com.cn](mailto:sales01@ocomtech.com.cn)

**Skype:** ocomsales01; **MSN:** ocomsales01@hotmail.com

**Ali TM:** cn1001868228; **QQ:** 1483705401

**Mobile/Wechat/Whatsapp:** 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products