12-Zoll-All-In-One-Touchscreen-POS-Terminal
(Modell: POS -8812)

Spezifikation:

Anzeige	Anzeigefläche (mm)	385 mm (H) x 245 mm (V)
	Punktmark (mm)	0,294 mm x 0,294 mm
	Auflösung	800x600 Dual Light Screen
	Helligkeit	350 cd / l
	Kontrast	400: 1
	Farbe	16,7 m
	Reaktionszeit	15ms
	Blickwinkel	150 ° (H) 150 ° (V)
	Energieversorgung	12V 5A externes Netzteil
	Touch-Panel	5-Draht Resistive Touch
Hauptmaschine	ZENTRALPROZESSOR:	Intel ATOM D525 1,8 GHz,
	Erinnerung:	DDR3 2 GB
	Chipsatz:	Intel Pine View-D und Intel Nm10
	SSD	32G
	I / O.	6x USB 2.0, 1x LAN; 2x PS / 2, 2X RS232, 1X Parallel, 1X VGA, 2X Audio
	Betriebssystem:	Unterstützt Windows 2000 / XP / Vista oder höher, Mac OS X oder höher, Linux
	Konformität: CE, FCC und UL	
Zubehör	Stromkabel	
	1x Laufwerk installierte CD	

Anwendungen:

- Verpflegung: Hotel, Restaurant, Fastfood-Restaurant, Café, Bäckerei und Konditorei;
- Einzelhändler: Business Street, Boutique, Kaufhaus, Kosmetikgeschäft und hochwertiger Friseurladen;
- Erholung: Sauna, Spa, Nachtclub, Themenpark, Casino und Verkaufsstelle für Lottoscheine;
- Kommerziell: Informationsmanagement-Terminals für Parkplatz, Gasthaus, Luftfahrt, U-Bahn, Bahnhof und Kai;

Produktdetails:

Product Picture

Features

Simple but not easy

Small size save space for shop

Good-looking design is suitable for

many POS field

Low power-consumption solution guarantees its stable quality and safety

All-round show

Parameter

	Display Area(mm)	385mm(H)X245mm(V)
	Dot Pith(mm)	0.294mm X 0.294mm
	Resolution	800x600 dual light screen

Display	Brightness	350cd/ ㎡
	Contrast	400: 1
	Color	16.7M
	Response time	15ms
	Viewing Angle	150°(H) 150°(V)
	Power Supply	12V 5A external Power adaptor
	Touch Panel	5-wire Resistive Touch
Main Machine	CPU:	Intel ATOM D525 1.8GHz,
	Memory:	DDR3 2GB
	Chipset:	Intel Pine view-D And Intel Nm10
	SSD	32GB
	I/O	6x USB2.0 , 1x LAN; 2x PS/2, 2X RS232, 1X Parallel, 1X VGA, 2X Audio
	Operation System:	Support Windows 2000 / XP / Vista Or Later, Mac OS X Or Later, Linux
	Compliance: CE, FCC, AND UL	
Accessories	Power cables	
	1x Drive installed CD	

Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive

2. EXPRESS: around 5-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

Company Profile

OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.
OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.
OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.
You can find more information of us at: www.ocominc.com,
Together we quest for the best.

Relevante Dokumente:

Möchten Sie mehr Produktinf wissen?Ormation?Bitte Klicke hier.

Spezifikation

POS 8812, POS 8812L Touch-Treiber für Linux

POS 8812, POS 8812L Touch-Treiber für Windows-System