

**58mm Klein Handheld Bluetooth beweglichPos-Thermo-Drucker
(Typ: OCPP-M03)**

Spezifikation:

Abmessungen (B x T x H)	105 x 75 x 45 mm
Gewicht	134 g
Farbe	Schwarz
Effektive Druckbreite	48 mm
Druckverfahren	Thermischer Druck
Druckbefehl	ESC / POS-kompatibler Befehlssatz
Druckgeschwindigkeit	Bis 90mm / Sek
Lösung	8 Punkte / mm (203DPI)
Schriftart drucken	In 12X24 / 24x24 in
Säulenleistung	32/16 Säulen
Zeichengröße	1,5 x 3,0 mm (Breite x Höhe) / 3,0 x 3,0 mm (Breite x Höhe)
Papier gröÙe	Durchmesser von 58,0 mm bis ± 0,1 mm x 40,0
Papierstärke	0,06 bis 0,08 mm
Zeichensatz	Alphanumerischer / chinesischer Text
Schnittstelle	USB, RS-232, Bluetooth (optional)
Blinken	256 kB
Netzteil	9V DC / 2A
Batterieleistung	Die DC / 1500 mA 7,4 V; Batterie kann in 4-5 Tagen bleiben, wenn es voll ist, kann es drucken 120-150M Papier
Andere Eigenschaften	Papiererkennung, Stromerkennung, manuell ausgeschaltet
Arbeitsbedingungen	Temperatur: -10Celsius ~ 50CelsiusFeuchtigkeit: 10% ~ 90%
Lagerbedingungen	Temperatur: -20Celsius ~ 70CelsiusFeuchtigkeit: 5% ~ 95%
Gerätename	Kann angepasst werden, um Buchstaben und Zahlen bis zu 30 ASCII-Zeichen auszuwählen.
Passwort	Default Eingabepaarungscode "1234" Es kann angepasst werden. Maximal 6 Ziffern.
Größe des Netzsteckers	3,5 * 1,1 mm

Bestellinformationen	P / N	Beschreibung
	OCPP-M03-BB	Mit Bluetooth und Batterie, support Android
	OCPP-M03-BB-AI	Mit Bluetooth und Akku, support Android und IOS
	OCPP-M03-UB	Mit Batterie USB-Kommunikation,
	OCPP-M03-U	USB-Kommunikation, ohne BT, Batterie
	OCPP-M03-B	Bluetooth Kommunikation, ohne Batterie
	OCPP-M03-UC	USB-Kommunikation, mit Auto-Aufladeeinheit
	OCPP-M03-BC	Bluetooth Kommunikation mit Auto-Aufladeeinheit
	OCPP-M03-C	Andere Kundengebundene



Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.



Relevante Dokumente:

Aufrechtzuerhalten. [Spezifikation](#)

Aufrechtzuerhalten. [Programmhandbuch](#)

Aufrechtzuerhalten. [Bedienungsanleitung](#)

Aufrechtzuerhalten. [Treiber Für Wlindows](#)

Aufrechtzuerhalten.[Treiber für Linux](#)

Aufrechtzuerhalten.[Druckerparameter Einstellwerkzeuge](#)

Aufrechtzuerhalten.[USB Printdemo\(Anwendungssoftware-Demo\)](#)

Aufrechtzuerhalten.[Bluetooth Druckdemo\(Anwendungssoftware-Demo\)](#)

Aufrechtzuerhalten.[SDK für Android](#)

Aufrechtzuerhalten.[CD Dateien](#)

FAQ: