

Wireless/USB cable Mini Portable Stocktaking Terminal

(Model No.: OCBS-D004/OCBS-D104)

FEATURE:

- Mini data collector, convenient and portable
- Wireless working distance can meet general request, 30 to 300m in open area
- Can store 30,000 barcodes
- Instantly store and bulk transfer mode, secure to keep the data
- Auto-turn-off at low voltage. Settable standby time, high efficiency and energy saving
- Easy and comfortable operation



SPECIFICATION:

Wireless Communications:

Modulation	GFSK
Transmission rate	200Kbps
Power	10dBm
Transmission Distance	Visual straight line distance 300 meters
Antenna	Built-in spring antenna

Performance Characteristics

Light Source	650nm laser
Supported barcodes	EAN-8, EAN-13, UPC-A, UPC-E, Code 39, Code 93, Code 128, EAN128, Codabar, Industoal 2 of 5, Interleave 2 of 5, Matrix 2 of 5, MSI etc
Scanner Type:	Bi-directional
Scan rate	48±2 scan/second
Scan distance	10-520mm
Scan width	20mm@window, 220mm@200mm
Resolution	0.10mm (pcs0.9)
Depth of Field	0~250mm (0.33mm, PCS 90%)
Working Way	Triggered or automatic (continuous mode) scanning

Physical Characteristics

Memory:	1M (Can store 30,000 barcodes)
Interfaces:	Standard configuration mini USB receiver; RS232 and PS2 optional
Current:	96mA (working) 46mA(standby)
Battery:	Built-in rechargeable lithium ion battery (3.7V, 1900mAh)
Material	ABS+PC
Dimension:	102mmX46mmX28mm (Data Collector) 52mmX20mmX10mm (Receiver)
Weight:	130g (with battery)

User Environment

Operation Temperature	-20 Degree C~45 Degree C
Storage Temperature	-20 Degree C~60 Degree C
Humidity:	5~95% relative humidity, non-condensing

Safe

EMI/RFI:	CE & FCC DOC compliance
Safety Standard	The second national laser safety standards
Ordering Information	
OCBS-D004	433MHZ Wireless Mini Portable Stocktaking Terminal
OCBS-D104	USB Cable Mini Portable Stocktaking Terminal